AUTHOR INDEX VOLUME 141

A

Abbondanza, C., Rossi, V., Roscigno, A., Gallo, L., Belsito, A., Piluso, G., Medici, N., Nigro, V., Molinari, A.M., Moncharmont, B., and Puca, G.A. Interaction of vault particles with estrogen receptor in the MCF-7 breast cancer cell. 1301.

Acakpo-Satchivi, L. *See* Sartorius, Lu, Acakpo-Satchivi, Jacobsen, Byrnes, and Leinwand.

Adachi, E. *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.

Adachi, M. *See* Naora, Takai, Adachi, and Naora.

Agard, D.A. *See* Fung, Marshall, Dernburg, Agard, and Sedat.

Agbunag, C. *See* Costa, Raich, Agbunag, Leung, Hardin, and Priess.

Alfranca, A. *See* Yáñez-Mó, Alfranca, Cabañas, Marazuela, Tejedor, Ursa, Ashman, de Landázuri, and Sánchez-Madrid.

Allchin, E.H. *See* Futter, Gibson, Allchin, Maxwell, Ruddock, Odorizzi, Domingo, Trowbridge, and Hopkins.

Allen, W.E., Zicha, D., Ridley, A.J., and Jones, G.E. A role for Cdc42 in macrophage chemotaxis. 1147.

Almeida, M. *See* Scatena, Almeida, Chaisson, Fausto, Nicosia, and Giachelli.

Amigorena, S. *See* Faigle, Raposo, Tenza, Pinet, Vogt, Kropshofer, Fischer, de Saint-Basile, and Amigorena.

Anderson, B.L., Boldogh, I., Evangelista, M., Boone, C., Greene, L.A., and Pon, L.A. The Src homology domain 3 (SH3) of a yeast type I myosin, Myo5p, binds to verprolin and is required for targeting to sites of actin polarization. 1357.

Anderson, R.G.W. *See* Mineo, Ying, Chapline, Jaken, and Anderson.

Andreassen, P.R., Lacroix, F.B., Villa-Moruzzi, E., and Margolis, R.L. Differential subcellular localization of protein phosphatase-1 α, γ1, and δ isoforms during both interphase and mitosis in mammalian cells. 1207.

Andrew, D.J. *See* Machado, Sunkel, and Andrew.

Anton, M. *See* Passreiter, Anton, Lay, Frank, Harter, Wieland, Gorgas, and Just.

Argon, Y. *See* Bass, Chiu, Argon, and Steiner.

Aridor, M., Weissman, J., Bannykh, S., Nuoffer, C., and Balch, W.E. Cargo selection by the COPII budding machinery during export from the ER. 61.

Armstrong, R.T. *See* Qiao, Pelletier, Hoffman, Hacker, Armstrong, and White.

Arndt-Jovin, D.J. *See* Buchenau, Hodgson, Strutt, and Arndt-Jovin.

Arvan, P. *See* Klumperman, Kuliawat, Griffith, Geuze, and Arvan.

Ashman, L.K. *See* Yáñez-Mó, Alfranca, Cabañas, Marazuela, Tejedor, Ursa, Ashman, de Landázuri, and Sánchez-Madrid.

Ashworth, J. *See* Wess, Purslow, Sherratt, Ashworth, Shuttleworth, and Kielty.

Avraham, H. *See* Kim, Lim, Ota, Raja, Rogers, Rivnay, Avraham, and Avraham.

Avraham, S. *See* Kim, Lim, Ota, Raja, Rogers, Rivnay, Avraham, and Avraham.

B

Balch, W.E. *See* Aridor, Weissman, Bannykh, Nuoffer, and Balch.

Banker, G. *See* Muslimov, Banker, Brosius, and Tiedge.

Bannykh, S. *See* Aridor, Weissman, Bannykh, Nuoffer, and Balch.

Barbas, J.A. *See* Torroja, Ortuño-Sahagún, Ferrús, Hämmerle, and Barbas.

Barbat, A. *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.

Bardroff, M. *See* Hauser, Bardroff, Pyrowolakis, and Jentsch.

Barkan, A. *See* Roy and Barkan.

Barlowe, C. *See* VanRheenen, Cao, Lupashin, Barlowe, and Waters.

Bass, J., Chiu, G., Argon, Y., and Steiner, D.F. Folding of insulin receptor monomers is facilitated by the molecular chaperones calnexin and calreticulin and impaired by rapid dimerization. 637.

Beckers, C.J.M. *See* Karsten, Qi, Beckers, Reddy, Dubremetz, Webster, and Joiner.

Beech, P.L. *See* Cole, Diener, Himelblau, Beech, Fuster, and Rosenbaum.

Belkin, A.M. *See* Zhong, Chrzanowska-Wodnicka, Brown, Shaub, Belkin, and Burridge.

Belotserkovsky, V. *See* Suter, Errante, Belotserkovsky, and Forscher.

Belsito, A. *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.

Ben-Ze'ev, A. *See* Simcha, Shtutman, Salomon, Zhurinsky, Sadot, Geiger, and Ben-Ze'ev.

Bertin, J. *See* Siegel, Martin, Zheng, Ng, Bertin, Cohen, and Lenardo.

Beug, H. *See* Wessely, Deiner, Lim, Mellitzer, Steinlein, and Beug.

Beushausen, S. *See* Gindhart, Desai, Beushausen, Zinn, and Goldstein.

Bitler, A. *See* Tuvia, Levin, Bitler, and Korenstein.

Bito, H. *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.

Blackshaw, S. *See* Walensky, Gascard, Fields, Blackshaw, Conboy, Mohandas, and Snyder.

Bloom, G.S., and Goldstein, L.S.B. Cruising along microtubule highways: How membranes move through the secretory pathway [140(6): 1277]. Correction. 1095.

Boldogh, I., Vojtov, N., Karmon, S., and Pon, L.A. Interaction between mitochondria and the actin cytoskeleton in budding yeast requires two integral mitochondrial outer membrane proteins, Mmm1p and Mdm10p. 1371.

— *See* Anderson, Boldogh, Evangelista, Boone, Greene, and Pon.

Boone, C. *See* Anderson, Boldogh, Evangelista, Boone, Greene, and Pon.

Borleis, J. *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.

Bornens, M. *See* Tassin, Celati, Moudjou, and Bornens.

Bosco, D. *See* Chanson, Fanjul, Bosco, Nelles, Suter, Willecke, and Meda.

Bosco, P. *See* Elder, Friedrich, Bosco, Kang, Gourov, Tu, Lee, and Lazzarini.

Bowman, E.P. *See* Campbell, Bowman, Murphy, Youngman, Siani, Thompson, Wu, Zlotnik, and Butcher.

Bozzaro, S. *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.

Bracco, E. *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.

Brackenbury, R. *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.

Brady-Kalnay, S.M., Mourton, T., Nixon, J.P., Pietz, G.E., Kinch, M., Chen, H., Brackenbury, R., Rimm, D.L., Del Vecchio, R.L., and Tonks, N.K. Dynamic interaction of PTPμ with multiple cadherins in vivo. 287.

Brenner, H.R. *See* Meier, Masciulli, Moore, Schoumacher, Eppenberger, Denzer, Jones, and Brenner.

Brizzio, V., Gammie, A.E., and Rose, M.D. Rvs161p interacts with Fus2p to promote cell fusion in *Saccharomyces cerevisiae*. 567.

Bronson, R.T. *See* Brugarolas, Bronson, and Jacks.

Brosius, J. *See* Muslimov, Banker, Brosius, and Tiedge.

Brown, J. *See* Zhong, Chrzanowska-Wodnicka, Brown, Shaub, Belkin, and Burridge.

Brown, N.H. *See* Martin-Bermudo, Dunin-Borkowski, and Brown.

Brugarolas, J., Bronson, R.T., and Jacks, T. p21 is a critical CDK2 regulator essential for proliferation control in *Rb*-deficient cells. 503.

Buchenau, P., Hodgson, J., Strutt, H., and Arndt-Jovin, D.J. The distribution of polycomb-group proteins during cell division and development in *Drosophila* embryos: Impact on models for silencing. 469.

Burke, D.J. *See* Kallio, Weinstein, Daum, Burke, and Gorbsky.

Burridge, K. *See* Zhong, Chrzanowska-Wodnicka, Brown, Shaub, Belkin, and Burridge.

Burrola, P. *See* Gondré, Burrola, and Weinstein.

Butcher, E.C. *See* Campbell, Bowman, Murphy, Youngman, Siani, Thompson, Wu, Zlotnik, and Butcher.

Buxbaum, R.E. *See* Heidemann and Buxbaum.

Byrnes, W.C. *See* Sartorius, Lu, Acakpo-Satchivi, Jacobsen, Byrnes, and Leinwand.

C

Cabañas, C. *See* Yáñez-Mó, Alfranca, Cabañas, Marazuela, Tejedor, Ursa, Ashman, de Landázuri, and Sánchez-Madrid.

Cabodi, S. *See* Calautti, Cabodi, Stein, Hatzfeld, Kedersha, and Dotto.
Cabrera-Poch, N. *See* Shima, Cabrera-Poch, Pepperkok, and Warren.
Cai, S. *See* de Belle, Cai, and Kohwi-Shigematsu.
Calautti, E., Cabodi, S., Stein, P.L., Hatzfeld, M., Kedersha, N., and Dotto, G.P. Tyrosine phosphorylation and Src family kinases control keratinocyte cell–cell adhesion. 1449.
Campbell, J.J., Bowman, E.P., Murphy, K., Youngman, K.R., Siani, M.A., Thompson, D.A., Wu, L., Zlotnik, A., and Butcher, E.C. 6-C-kine (SLC), a lymphocyte adhesion-triggering chemokine expressed by high endothelium, is an agonist for the MIP-3β receptor CCR7. 1053.
Cancilla, M.R. *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
Cao, X. *See* VanRheenen, Cao, Lupashin, Barlowe, and Waters.
Carrière, V. *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
Carrington, W. *See* Dictenberg, Zimmerman, Sparks, Young, Vidair, Zheng, Carrington, Fay, and Doxsey.
Carroll, H. *See* Chakravarti, Magnuson, Lass, Jepsen, LaMantia, and Carroll.
Carter, P. *See* Matthews, Carter, Thierry-Mieg, and Kemphues.
Cecil, J.K. *See* Li, Xu, Cecil, Turner, Megraw, and Kaufman.
Celati, C. *See* Tassin, Celati, Moudjou, and Bornens.
Chaisson, M.L. *See* Scatena, Almeida, Chaisson, Fausto, Nicosia, and Giachelli.
Chakravarti, S., Magnuson, T., Lass, J.H., Jepsen, K.J., LaMantia, C., and Carroll, H. Lumican regulates collagen fibril assembly: Skin fragility and corneal opacity in the absence of lumican. 1277.
Chanson, M., Fanjul, M., Bosco, D., Nelles, E., Suter, S., Willecke, K., and Meda, P. Enhanced secretion of amylase from exocrine pancreas of connexin32-deficient mice. 1267.
Chapin, S.J. *See* Low, Chapin, Wimmer, Whiteheart, Kömüves, Mostov, and Weimbs.
Chapline, C. *See* Mineo, Ying, Chapline, Jaken, and Anderson.
Chardin, P. *See* Nobes, Lauritzen, Mattei, Paris, Hall, and Chardin.
Cheah, K.S.E. *See* Leung, Ng, Ho, Tam, and Cheah.
Chen, D. *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.
Chen, H. *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.
Chen, R.-H. *See* Gorbsky, Chen, and Murray.
— *See* Waters, Chen, Murray, and Salmon.
Chen, X.P., Yin, H., and Huffaker, T.C. The yeast spindle pole body component Spc72p interacts with Stu2p and is required for proper microtubule assembly. 1169.
Chiu, G. *See* Bass, Chiu, Argon, and Steiner.
Choo, K.H.A. *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
Christensen, E.I. *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
Chrzanowska-Wodnicka, M. *See* Zhong, Chrzanowska-Wodnicka, Brown, Shaub, Belkin, and Burridge.
Claas, A. *See* Claas, Seiter, Claas, Savelyeva, Schwab, and Zöller.
Claas, C., Seiter, S., Claas, A., Savelyeva, L., Schwab, M., and Zöller, M. Association between the rat homologue of CO-029, a metastasis-associated tetraspanin molecule and consumption coagulopathy. 267.
Cohen, J. *See* Siegel, Martin, Zheng, Ng, Bertin, Cohen, and Lenardo.
Cole, D.G., Diener, D.R., Himelblau, A.L., Beech, P.L., Fuster, J.C., and Rosenbaum, J.L. *Chlamydomonas* kinesin-II–dependent intraflagellar transport (IFT): IFT particles contain proteins required for ciliary assembly in *Caenorhabditis elegans* sensory neurons. 993.
Conboy, J.G. *See* Walensky, Gascard, Fields, Blackshaw, Conboy, Mohandas, and Snyder.
Consalez, G.G. *See* Guttinger, Sutti, Panigada, Porcellini, Merati, Mariani, Teesalu, Consalez, and Grassi.
Cook, T.A., Nagasaki, T., and Gundersen, G.G. Rho guanosine triphosphatase mediates the selective stabilization of microtubules induced by lysophosphatidic acid. 175.
Costa, M., Raich, W., Agbunag, C., Leung, B., Hardin, J., and Priess, J.R. A putative catenin–cadherin system mediates morphogenesis of the *Caenorhabditis elegans* embryo. 297.
Croall, D.E. *See* Potter, Tirnauer, Janssen, Croall, Hughes, Fiacco, Mier, Maki, and Herman.
Cutts, S.M. *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.

D

Dai, J. *See* Gerald, Dai, Ting-Beall, and De Lozanne.
Dai, Z., and Peng, H.B. A role of tyrosine phosphatase in acetylcholine receptor cluster dispersal and formation. 1613.
D'Amore, P.A. *See* Hirschi, Rohovsky, and D'Amore.
Daum, J.R. *See* Kallio, Weinstein, Daum, Burke, and Gorbsky.
de Belle, I., Cai, S., and Kohwi-Shigematsu, T. The genomic sequences bound to special AT-rich sequence-binding protein 1 (SATB1) in vivo in Jurkat T cells are tightly associated with the nuclear matrix at the bases of the chromatin loops. 335.
de Bolos, C. *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
Deiner, E.-M. *See* Wessely, Deiner, Lim, Mellitzer, Steinlein, and Beug.
de Kretser, D.M. *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
de Landázuri, M.O. *See* Yáñez-Mó, Alfranca, Cabañas, Marazuela, Tejedor, Ursa, Ashman, de Landázuri, and Sánchez-Madrid.
Delannoy, P. *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
De Lozanne, A. *See* Gerald, Dai, Ting-Beall, and De Lozanne.
Del Vecchio, R.L. *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.
De Mey, J.R. *See* Dujardin, Wacker, Moreau, Schroer, Rickard, and De Mey.
Denzer, A.J. *See* Meier, Masciulli, Moore, Schoumacher, Eppenberger, Denzer, Jones, and Brenner.
de Pereda, J.M. *See* Rezniczek, de Pereda, Reipert, and Wiche.
Dernburg, A. *See* Fung, Marshall, Dernburg, Agard, and Sedat.
Desai, A., Maddox, P.S., Mitchison, T.J., and Salmon, E.D. Anaphase A chromosome movement and poleward spindle microtubule flux occur at similar rates in *Xenopus* extract spindles. 703.
Desai, C.J. *See* Gindhart, Desai, Beushausen, Zinn, and Goldstein.
de Saint-Basile, G. *See* Faigle, Raposo, Tenza, Pinet, Vogt, Kropshofer, Fischer, de Saint-Basile, and Amigorena.
de Saint Phalle, B., and Sullivan, W. Spindle assembly and mitosis without centrosomes in parthenogenetic *Sciara* embryos. 1383.
Devreotes, P. *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.
De Vries, L. *See* Lin, Le-Niculescu, Hofmeister, McCaffery, Jin, Hennemann, McQuistan, De Vries, and Farquhar.
Dickmanns, A. *See* Kehlenbach, Dickmanns, and Gerace.
Dictenberg, J.B., Zimmerman, W., Sparks, C.A., Young, A., Vidair, C., Zheng, Y., Carrington, W., Fay, F.S., and Doxsey, S.J. Pericentrin and γ-tubulin form a protein complex and are organized into a novel lattice at the centrosome. 163.
DiDonato, J.A. *See* Lin, DiDonato, Hoffmann, Hardwick, and Ratan.
Diener, D.R. *See* Cole, Diener, Himelblau, Beech, Fuster, and Rosenbaum.
Dixon, J.L. *See* Du, Stoops, Mertz, Stanley, and Dixon.
Doi, Y. *See* Saitou, Fujimoto, Doi, Itoh, Fujimoto, Furuse, Takano, Noda, and Tsukita.
Domingo, D. *See* Futter, Gibson, Allchin, Maxwell, Ruddock, Odorizzi, Domingo, Trowbridge, and Hopkins.
Doms, R.W. *See* Skovronsky, Doms, and Lee.
Dotto, G.P. *See* Calautti, Cabodi, Stein, Hatzfeld, Kedersha, and Dotto.
Doxsey, S.J. *See* Dictenberg, Zimmerman, Sparks, Young, Vidair, Zheng, Carrington, Fay, and Doxsey.
Du, X., Stoops, J.D., Mertz, J.R., Stanley, C.M., and Dixon, J.L. Identification of two regions in apolipoprotein B100 that are exposed on the cytosolic side of the endoplasmic reticulum membrane. 585.
Dubremetz, J.-F. *See* Karsten, Qi, Beckers, Reddy, Dubremetz, Webster, and Joiner.
Dujardin, D., Wacker, U.I., Moreau, A., Schroer, T.A., Rickard, J.E., and De Mey, J.R. Evidence for a role of CLIP-170 in the establishment of metaphase chromosome alignment. 849.
Dunin-Borkowski, O.M. *See* Martin-Bermudo, Dunin-Borkowski, and Brown.

E

Earle, E. *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.

Egel, R. *See* Petersen, Nielsen, Egel, and Hagan.
Elder, G.A., Friedrich, V.L., Jr., Bosco, P., Kang, C., Gourov, A., Tu, P.-H., Lee, V.M.-Y., and Lazzarini, R.A. Absence of the mid-sized neurofilament subunit decreases axonal calibers, levels of light neurofilament (NF-L), and neurofilament content. 727.
Emr, S.D. *See* Wendland and Emr.
Eppenberger, U. *See* Meier, Masciulli, Moore, Schoumacher, Eppenberger, Denzer, Jones, and Brenner.
Errante, L.D. *See* Suter, Errante, Belotserkovsky, and Forscher.
Evangelista, M. *See* Anderson, Boldogh, Evangelista, Boone, Greene, and Pon.

F

Faigle, W., Raposo, G., Tenza, D., Pinet, V., Vogt, A.B., Kropshofer, H., Fischer, A., de Saint-Basile, G., and Amigorena, S. Deficient peptide loading and MHC class II endosomal sorting in a human genetic immunodeficiency disease: The Chediak-Higashi syndrome. 1121.
Fanjul, M. *See* Chanson, Fanjul, Bosco, Nelles, Suter, Willecke, and Meda.
Farquhar, M.G. *See* Lin, Le-Niculescu, Hofmeister, McCaffery, Jin, Hennemann, McQuistan, De Vries, and Farquhar.
Fässler, R. *See* Sakai, Zhang, Fässler, and Mosher.
Fausto, N. *See* Scatena, Almeida, Chaisson, Fausto, Nicosia, and Giachelli.
Fay, F.S. *See* Dictenberg, Zimmerman, Sparks, Young, Vidair, Zheng, Carrington, Fay, and Doxsey.
Fehon, R.G. *See* LaJeunesse, McCartney, and Fehon.
Feng, J. *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.
Ferguson-Maltzman, M. *See* Wolf, Jobling, Wimer-Mackin, Ferguson-Maltzman, Madara, Holmes, and Lencer.
Ferrari, M.B., Ribbeck, K., Hagler, D.J., Jr., and Spitzer, N.C. A calcium signaling cascade essential for myosin thick filament assembly in *Xenopus* myocytes. 1349.
Ferrús, A. *See* Torroja, Ortuño-Sahagún, Ferrús, Hämmerle, and Barbas.
Fiacco, K.A. *See* Potter, Tirnauer, Janssen, Croall, Hughes, Fiacco, Mier, Maki, and Herman.
Fields, M.E. *See* Walensky, Gascard, Fields, Blackshaw, Conboy, Mohandas, and Snyder.
Filmus, J. *See* Gonzalez, Kaya, Shi, Song, Testa, Penn, and Filmus.
Fischer, A. *See* Faigle, Raposo, Tenza, Pinet, Vogt, Kropshofer, Fischer, de Saint-Basile, and Amigorena.
Fishman, P.H. *See* Orlandi and Fishman.
Forbes, D. *See* Shah, Tugendreich, and Forbes.
Forscher, P. *See* Suter, Errante, Belotserkovsky, and Forscher.
Fowler, K.J. *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
Frank, R. *See* Passreiter, Anton, Lay, Frank, Harter, Wieland, Gorgas, and Just.
Friedrich, V.L., Jr. *See* Elder, Friedrich, Bosco, Kang, Gourov, Tu, Lee, and Lazzarini.
Fry, A.M., Mayor, T., Meraldi, P., Stierhof, Y.-D., Tanaka, K., and Nigg, E.A. C-Nap1, a novel centrosomal coiled-coil protein and candidate substrate of the cell cycle–regulated protein kinase Nek2. 1563.
Fuchs, E. *See* Smith and Fuchs.
Fujimoto, K. *See* Furuse, Fujita, Hiiragi, Fujimoto, and Tsukita.
— *See* Saitou, Fujimoto, Doi, Itoh, Fujimoto, Furuse, Takano, Noda, and Tsukita.
Fujimoto, T. *See* Saitou, Fujimoto, Doi, Itoh, Fujimoto, Furuse, Takano, Noda, and Tsukita.
— *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.
Fujita, K. *See* Furuse, Fujita, Hiiragi, Fujimoto, and Tsukita.
Fukata, Y., Kimura, K., Oshiro, N., Saya, H., Matsuura, Y., and Kaibuchi, K. Association of the myosin-binding subunit of myosin phosphatase and moesin: Dual regulation of moesin phosphorylation by Rho-associated kinase and myosin phosphatase. 409.
Funakoshi, T. *See* Yonekawa, Harada, Okada, Funakoshi, Kanai, Takei, Terada, Noda, and Hirokawa.
Fung, J.C., Marshall, W.F., Dernburg, A., Agard, D.A., and Sedat, J.W. Homologous chromosome pairing in *Drosophila melanogaster* proceeds through multiple independent initiations. 5.
Furuichi, T. *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.
Furuse, M., Fujita, K., Hiiragi, T., Fujimoto, K., and Tsukita, S. Claudin-1 and -2: Novel integral membrane proteins localizing at tight junctions with no sequence similarity to occludin. 1539.
— *See* Saitou, Fujimoto, Doi, Itoh, Fujimoto, Furuse, Takano, Noda, and Tsukita.
Fuster, J.C. *See* Cole, Diener, Himelblau, Beech, Fuster, and Rosenbaum.
Futter, C.E., Gibson, A., Allchin, E.H., Maxwell, S., Ruddock, L.J., Odorizzi, G., Domingo, D., Trowbridge, I.S., and Hopkins, C.R. In polarized MDCK cells basolateral vesicles arise from clathrin-γ-adaptin–coated domains on endosomal tubules. 611.

G

Gallo, L. *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
Galloway, A.C. *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.
Gammie, A.E. *See* Brizzio, Gammie, and Rose.
Gascard, P. *See* Walensky, Gascard, Fields, Blackshaw, Conboy, Mohandas, and Snyder.
Geiger, B. *See* Simcha, Shtutman, Salomon, Zhurinsky, Sadot, Geiger, and Ben-Ze'ev.
Gerace, L. *See* Kehlenbach, Dickmanns, and Gerace.
Gerald, N., Dai, J., Ting-Beall, H.P., and De Lozanne, A. A role for *Dictyostelium* RacE in cortical tension and cleavage furrow progression. 483.
Gerisch, G. *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.
Geuze, H.J. *See* Klumperman, Kuliawat, Griffith, Geuze, and Arvan.
Giachelli, C.M. *See* Scatena, Almeida, Chaisson, Fausto, Nicosia, and Giachelli.
Gibson, A. *See* Futter, Gibson, Allchin, Maxwell, Ruddock, Odorizzi, Domingo, Trowbridge, and Hopkins.
Gindhart, J.G., Jr., Desai, C.J., Beushausen, S., Zinn, K., and Goldstein, L.S.B. Kinesin light chains are essential for axonal transport in *Drosophila*. 443.
Gliemann, J. *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
Goldfinger, L.E., Stack, M.S., and Jones, J.C.R. Processing of laminin-5 and its functional consequences: Role of plasmin and tissue-type plasminogen activator. 255.
Goldstein, L.S.B. *See* Bloom and Goldstein.
— *See* Gindhart, Desai, Beushausen, Zinn, and Goldstein.
Gondré, M., Burrola, P., and Weinstein, D.E. Accelerated nerve regeneration mediated by Schwann cells expressing a mutant form of the POU protein SCIP. 493.
Gonzalez, A.D., Kaya, M., Shi, W., Song, H., Testa, J.R., Penn, L.Z., and Filmus, J. OCI-5/GPC3, a glypican encoded by a gene that is mutated in the Simpson-Golabi-Behmel overgrowth syndrome, induces apoptosis in a cell line–specific manner. 1407.
Gorbsky, G.J., Chen, R.-H., and Murray, A.W. Microinjection of antibody to Mad2 protein into mammalian cells in mitosis induces premature anaphase. 1193.
— *See* Kallio, Weinstein, Daum, Burke, and Gorbsky.
Gordon, J.I. *See* Wong, Rubinfeld, and Gordon.
Gorgas, K. *See* Passreiter, Anton, Lay, Frank, Harter, Wieland, Gorgas, and Just.
Gourov, A. *See* Elder, Friedrich, Bosco, Kang, Gourov, Tu, Lee, and Lazzarini.
Grassi, F. *See* Guttinger, Sutti, Panigada, Porcellini, Merati, Mariani, Teesalu, Consalez, and Grassi.
Greene, L.A. *See* Anderson, Boldogh, Evangelista, Boone, Greene, and Pon.
Griffith, J.M. *See* Klumperman, Kuliawat, Griffith, Geuze, and Arvan.
Gross, H. *See* Hoenger, Sack, Thormählen, Marx, Müller, Gross, and Mandelkow.
Gu, L. *See* Haskins, Gu, Wittchen, Hibbard, and Stevenson.
Gualandris, A. *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.
Gulbins, E. *See* Lepple-Wienhues, Szabò, Laun, Kaba, Gulbins, and Lang.
Gumbiner, B.M. *See* Yap, Niessen, and Gumbiner.
Gunawardane, R.N. *See* Martin, Gunawardane, Iwamatsu, and Zheng.

Gundersen, G.G. *See* Cook, Nagasaki, and Gundersen.
Guttinger, M., Sutti, F., Panigada, M., Porcellini, S., Merati, B., Mariani, M., Teesalu, T., Consalez, G.G., and Grassi, F. Epithelial V-like antigen (EVA), a novel member of the immunoglobulin superfamily, expressed in embryonic epithelia with a potential role as homotypic adhesion molecule in thymus histogenesis. 1061.

H

Hackam, A.S., Singaraja, R., Wellington, C.L., Metzler, M., McCutcheon, K., Zhang, T., Kalchman, M., and Hayden, M.R. The influence of huntingtin protein size on nuclear localization and cellular toxicity. 1097.
Hacker, J. *See* Qiao, Pelletier, Hoffman, Hacker, Armstrong, and White.
Hagan, I.M. *See* Petersen, Nielsen, Egel, and Hagan.
Hager, H. *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
Hagler, D.J., Jr. *See* Ferrari, Ribbeck, Hagler, and Spitzer.
Hall, A. *See* Nobes, Lauritzen, Mattei, Paris, Hall, and Chardin.
Hämmerle, B. *See* Torroja, Ortuño-Sahagún, Ferrús, Hämmerle, and Barbas.
Harada, A., Takei, Y., Kanai, Y., Tanaka, Y., Nonaka, S., and Hirokawa, N. Golgi vesiculation and lysosome dispersion in cells lacking cytoplasmic dynein. 51.
— *See* Yonekawa, Harada, Okada, Funakoshi, Kanai, Takei, Terada, Noda, and Hirokawa.
Harder, T., Scheiffele, P., Verkade, P., and Simons, K. Lipid domain structure of the plasma membrane revealed by patching of membrane components. 929.
Hardin, J. *See* Costa, Raich, Agbunag, Leung, Hardin, and Priess.
Hardwick, J.M. *See* Lin, DiDonato, Hoffmann, Hardwick, and Ratan.
Hardy, S. *See* Jin, Hardy, and Morgan.
Harter, C. *See* Passreiter, Anton, Lay, Frank, Harter, Wieland, Gorgas, and Just.
Hartmann, E. *See* Kalies, Rapoport, and Hartmann.
Hasegawa, M. *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.
Haskins, J., Gu, L., Wittchen, E.S., Hibbard, J., and Stevenson, B.R. ZO-3, a novel member of the MAGUK protein family found at the tight junction, interacts with ZO-1 and occludin. 199.
Hato, T., Pampori, N., and Shattil, S.J. Complementary roles for receptor clustering and conformational change in the adhesive and signaling functions of integrin $\alpha_{IIb}\beta_3$. 1685.
Hatzfeld, M. *See* Calautti, Cabodi, Stein, Hatzfeld, Kedersha, and Dotto.
Hauser, H.-P., Bardroff, M., Pyrowolakis, G., and Jentsch, S. A giant ubiquitin-conjugating enzyme related to IAP apoptosis inhibitors. 1415.
Hay, J.C., Klumperman, J., Oorschot, V., Steegmaier, M., Kuo, C.S., and Scheller, R.H. Localization, dynamics, and protein interactions reveal distinct roles for ER and Golgi SNAREs. 1489.
Hayden, M.R. *See* Hackam, Singaraja, Wellington, Metzler, McCutcheon, Zhang, Kalchman, and Hayden.
Heidemann, S.R., and Buxbaum, R.E. Cell crawling: First the motor, now the transmission. 1.
Heinegård, D. *See* Wendel, Sommarin, and Heinegård.
Henley, J.R., Krueger, E.W.A., Oswald, B.J., and McNiven, M.A. Dynamin-mediated internalization of caveolae. 85.
Hennebicq-Reig, S. *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
Hennemann, H. *See* Lin, Le-Niculescu, Hofmeister, McCaffery, Jin, Hennemann, McQuistan, De Vries, and Farquhar.
Herman, I.M. *See* Potter, Tirnauer, Janssen, Croall, Hughes, Fiacco, Mier, Maki, and Herman.
Hibbard, J. *See* Haskins, Gu, Wittchen, Hibbard, and Stevenson.
Hicke, L., Zanolari, B., and Riezman, H. Cytoplasmic tail phosphorylation of the α-factor receptor is required for its ubiquitination and internalization. 349.
Hii, L. *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
Hiiragi, T. *See* Furuse, Fujita, Hiiragi, Fujimoto, and Tsukita.
Hill, J. *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
Himelblau, A.L. *See* Cole, Diener, Himelblau, Beech, Fuster, and Rosenbaum.
Hirokawa, N. *See* Harada, Takei, Kanai, Tanaka, Nonaka, and Hirokawa.
— *See* Yonekawa, Harada, Okada, Funakoshi, Kanai, Takei, Terada, Noda, and Hirokawa.
Hirose, M., Ishizaki, T., Watanabe, N., Uehata, M., Kranenburg, O., Moolenaar, W.H., Matsumura, F., Maekawa, M., Bito, H., and Narumiya, S. Molecular dissection of the Rho-associated protein kinase (p160ROCK)-regulated neurite remodeling in neuroblastoma N1E-115 cells. 1625.
Hirschi, K.K., Rohovsky, S.A., and D'Amore, P.A. PDGF, TGF-β, and heterotypic cell–cell interactions mediate endothelial cell–induced recruitment of 10T1/2 cells and their differentiation to a smooth muscle fate. 805. Correction. 1287.
Ho, K.K.Y. *See* Leung, Ng, Ho, Tam, and Cheah.
Hocking, D.C., Sottile, J., and McKeown-Longo, P.J. Activation of distinct $\alpha_5\beta_1$-mediated signaling pathways by fibronectin's cell adhesion and matrix assembly domains. 241.
Hodgson, J. *See* Buchenau, Hodgson, Strutt, and Arndt-Jovin.
Hoenger, A., Sack, S., Thormählen, M., Marx, A., Müller, J., Gross, H., and Mandelkow, E. Image reconstructions of microtubules decorated with monomeric and dimeric kinesins: Comparison with x-ray structure and implications for motility. 419.
Hoffman, L. *See* Qiao, Pelletier, Hoffman, Hacker, Armstrong, and White.
Hoffmann, A. *See* Lin, DiDonato, Hoffmann, Hardwick, and Ratan.
Hofmeister, R. *See* Lin, Le-Niculescu, Hofmeister, McCaffery, Jin, Hennemann, McQuistan, De Vries, and Farquhar.
Holmes, R.K. *See* Wolf, Jobling, Wimer-Mackin, Ferguson-Maltzman, Madara, Holmes, and Lencer.
Holmes, S. *See* Wigge, Jensen, Holmes, Souès, Mann, and Kilmartin.
Hopkins, C.R. *See* Futter, Gibson, Allchin, Maxwell, Ruddock, Odorizzi, Domingo, Trowbridge, and Hopkins.
Horwitz, A.F. *See* Huttenlocher, Lakonishok, Kinder, Wu, Truong, Knudsen, and Horwitz.
Howman, E. *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
Hu, X. *See* LaVallee, Prudovsky, McMahon, Hu, and Maciag.
Hubbard, A.L. *See* Ihrke, Martin, Shanks, Schrader, Schroer, and Hubbard.
Hudson, D.F., Fowler, K.J., Earle, E., Saffery, R., Kalitsis, P., Trowell, H., Hill, J., Wreford, N.G., de Kretser, D.M., Cancilla, M.R., Howman, E., Hii, L., Cutts, S.M., Irvine, D.V., and Choo, K.H.A. Centromere protein B null mice are mitotically and meiotically normal but have lower body and testis weights. 309.
Huet, G., Hennebicq-Reig, S., de Bolos, C., Ulloa, F., Lesuffleur, T., Barbat, A., Carrière, V., Kim, I., Real, F.X., Delannoy, P., and Zweibaum, A. GalNAc-α-*O*-benzyl inhibits NeuAcα2-3 glycosylation and blocks the intracellular transport of apical glycoproteins and mucus in differentiated HT-29 cells. 1311.
Huffaker, T.C. *See* Chen, Yin, and Huffaker.
Hughes, C.N. *See* Potter, Tirnauer, Janssen, Croall, Hughes, Fiacco, Mier, Maki, and Herman.
Huttenlocher, A., Lakonishok, M., Kinder, M., Wu, S., Truong, T., Knudsen, K.A., and Horwitz, A.F. Integrin and cadherin synergy regulates contact inhibition of migration and motile activity. 515.

I

Ihrke, G., Martin, G.V., Shanks, M.R., Schrader, M., Schroer, T.A., and Hubbard, A.L. Apical plasma membrane proteins and endolyn-78 travel through a subapical compartment in polarized WIF-B hepatocytes. 115.
Irvine, D.V. *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
Ishizaki, T. *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.
Itoh, M. *See* Saitou, Fujimoto, Doi, Itoh, Fujimoto, Furuse, Takano, Noda, and Tsukita.
Iwamatsu, A. *See* Martin, Gunawardane, Iwamatsu, and Zheng.

J

Jacks, T. *See* Brugarolas, Bronson, and Jacks.

Jacobsen, R.P. *See* Sartorius, Lu, Acakpo-Satchivi, Jacobsen, Byrnes, and Leinwand.
Jaken, S. *See* Mineo, Ying, Chapline, Jaken, and Anderson.
Janssen, R. *See* Potter, Tirnauer, Janssen, Croall, Hughes, Fiacco, Mier, Maki, and Herman.
Jensen, O.N. *See* Wigge, Jensen, Holmes, Souès, Mann, and Kilmartin.
Jentsch, S. *See* Hauser, Bardroff, Pyrowolakis, and Jentsch.
Jepsen, K.J. *See* Chakravarti, Magnuson, Lass, Jepsen, LaMantia, and Carroll.
Jin, M. *See* Lin, Le-Niculescu, Hofmeister, McCaffery, Jin, Hennemann, McQuistan, De Vries, and Farquhar.
Jin, P., Hardy, S., and Morgan, D.O. Nuclear localization of cyclin B1 controls mitotic entry after DNA damage. 875.
Jin, Q.-w., Trelles-Sticken, E., Scherthan, H., and Loidl, J. Yeast nuclei display prominent centromere clustering that is reduced in nondividing cells and in meiotic prophase. 21.
Jin, T. *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.
Jobling, M.G. *See* Wolf, Jobling, Wimer-Mackin, Ferguson-Maltzman, Madara, Holmes, and Lencer.
Jockusch, B.M. *See* Weiss, Kroemker, Rüdiger, Jockusch, and Rüdiger.
Joiner, K.A. *See* Karsten, Qi, Beckers, Reddy, Dubremetz, Webster, and Joiner.
Jones, G. *See* Meier, Masciulli, Moore, Schoumacher, Eppenberger, Denzer, Jones, and Brenner.
Jones, G.E. *See* Allen, Zicha, Ridley, and Jones.
Jones, J.C.R. *See* Goldfinger, Stack, and Jones.
Jontes, J.D., Ostap, E.M., Pollard, T.D., and Milligan, R.A. Three-dimensional structure of *Acanthamoeba castellanii* myosin-IB (MIB) determined by cryoelectron microscopy of decorated actin filaments. 155.
Just, W.W. *See* Passreiter, Anton, Lay, Frank, Harter, Wieland, Gorgas, and Just.

K

Kaba, N.K. *See* Lepple-Wienhues, Szabò, Laun, Kaba, Gulbins, and Lang.
Kaibuchi, K. *See* Fukata, Kimura, Oshiro, Saya, Matsuura, and Kaibuchi.
Kalchman, M. *See* Hackam, Singaraja, Wellington, Metzler, McCutcheon, Zhang, Kalchman, and Hayden.
Kalies, K.-U., Rapoport, T.A., and Hartmann, E. The β subunit of the Sec61 complex facilitates cotranslational protein transport and interacts with the signal peptidase during translocation. 887.
Kalitsis, P. *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
Kallio, M., Weinstein, J., Daum, J.R., Burke, D.J., and Gorbsky, G.J. Mammalian p55CDC mediates association of the spindle checkpoint protein Mad2 with the cyclosome/anaphase-promoting complex, and is involved in regulating anaphase onset and late mitotic events. 1393.
Kanai, Y. *See* Harada, Takei, Kanai, Tanaka, Nonaka, and Hirokawa.
— *See* Yonekawa, Harada, Okada, Funakoshi, Kanai, Takei, Terada, Noda, and Hirokawa.
Kang, C. *See* Elder, Friedrich, Bosco, Kang, Gourov, Tu, Lee, and Lazzarini.
Karmon, S. *See* Boldogh, Vojtov, Karmon, and Pon.
Karsten, V., Qi, H., Beckers, C.J.M., Reddy, A., Dubremetz, J.-F., Webster, P., and Joiner, K.A. The protozoan parasite *Toxoplasma gondii* targets proteins to dense granules and the vacuolar space using both conserved and unusual mechanisms. 1323.
Kaufman, T.C. *See* Li, Xu, Cecil, Turner, Megraw, and Kaufman.
Kaya, M. *See* Gonzalez, Kaya, Shi, Song, Testa, Penn, and Filmus.
Kedersha, N. *See* Calautti, Cabodi, Stein, Hatzfeld, Kedersha, and Dotto.
Kehlenbach, R.H., Dickmanns, A., and Gerace, L. Nucleocytoplasmic shuttling factors including Ran and CRM1 mediate nuclear export of NFAT in vitro. 863.
Keller, G.A. *See* Sakai, Koller, Rangell, Keller, and Subramani.
Kemphues, K. *See* Matthews, Carter, Thierry-Mieg, and Kemphues.
Kielty, C.M. *See* Wess, Purslow, Sherratt, Ashworth, Shuttleworth, and Kielty.
Kilmartin, J.V. *See* Wigge, Jensen, Holmes, Souès, Mann, and Kilmartin.
Kim, I. *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
Kim, T.-A., Lim, J., Ota, S., Raja, S., Rogers, R., Rivnay, B., Avraham, H., and Avraham, S. NRP/B, a novel nuclear matrix protein, associates with $p110^{RB}$ and is involved in neuronal differentiation. 553.
Kimura, K. *See* Fukata, Kimura, Oshiro, Saya, Matsuura, and Kaibuchi.
Kinch, M. *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.
Kinder, M. *See* Huttenlocher, Lakonishok, Kinder, Wu, Truong, Knudsen, and Horwitz.
Klumperman, J., Kuliawat, R., Griffith, J.M., Geuze, H.J., and Arvan, P. Mannose 6–phosphate receptors are sorted from immature secretory granules via adaptor protein AP-1, clathrin, and syntaxin 6–positive vesicles. 359.
— *See* Hay, Klumperman, Oorschot, Steegmaier, Kuo, and Scheller.
Knudsen, K.A. *See* Huttenlocher, Lakonishok, Kinder, Wu, Truong, Knudsen, and Horwitz.
Kohwi-Shigematsu, T. *See* de Belle, Cai, and Kohwi-Shigematsu.
Koller, A. *See* Sakai, Koller, Rangell, Keller, and Subramani.
Kömüves, L.G. *See* Low, Chapin, Wimmer, Whiteheart, Kömüves, Mostov, and Weimbs.
Korenstein, R. *See* Tuvia, Levin, Bitler, and Korenstein.
Kornfeld, S. *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
Kranenburg, O. *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.
Kroemker, M. *See* Weiss, Kroemker, Rüdiger, Jockusch, and Rüdiger.
Kropshofer, H. *See* Faigle, Raposo, Tenza, Pinet, Vogt, Kropshofer, Fischer, de Saint-Basile, and Amigorena.
Krueger, E.W.A. *See* Henley, Krueger, Oswald, and McNiven.
Kuliawat, R. *See* Klumperman, Kuliawat, Griffith, Geuze, and Arvan.
Kuo, C.S. *See* Hay, Klumperman, Oorschot, Steegmaier, Kuo, and Scheller.

L

Lacroix, F.B. *See* Andreassen, Lacroix, Villa-Moruzzi, and Margolis.
LaJeunesse, D.R., McCartney, B.M., and Fehon, R.G. Structural analysis of *Drosophila* Merlin reveals functional domains important for growth control and subcellular localization. 1589.
Lakonishok, M. *See* Huttenlocher, Lakonishok, Kinder, Wu, Truong, Knudsen, and Horwitz.
LaMantia, C. *See* Chakravarti, Magnuson, Lass, Jepsen, LaMantia, and Carroll.
Lang, F. *See* Lepple-Wienhues, Szabò, Laun, Kaba, Gulbins, and Lang.
Lass, J.H. *See* Chakravarti, Magnuson, Lass, Jepsen, LaMantia, and Carroll.
Laun, T. *See* Lepple-Wienhues, Szabò, Laun, Kaba, Gulbins, and Lang.
Lauritzen, I. *See* Nobes, Lauritzen, Mattei, Paris, Hall, and Chardin.
LaVallee, T.M., Prudovsky, I.A., McMahon, G.A., Hu, X., and Maciag, T. Activation of the MAP kinase pathway by FGF-1 correlates with cell proliferation induction while activation of the Src pathway correlates with migration. 1647.
Lay, D. *See* Passreiter, Anton, Lay, Frank, Harter, Wieland, Gorgas, and Just.
Lazzarini, R.A. *See* Elder, Friedrich, Bosco, Kang, Gourov, Tu, Lee, and Lazzarini.
Lee, V.M.-Y. *See* Elder, Friedrich, Bosco, Kang, Gourov, Tu, Lee, and Lazzarini.
— *See* Skovronsky, Doms, and Lee.
Leinwand, L.A. *See* Sartorius, Lu, Acakpo-Satchivi, Jacobsen, Byrnes, and Leinwand.
Lenardo, M.J. *See* Siegel, Martin, Zheng, Ng, Bertin, Cohen, and Lenardo.
Lencer, W.I. *See* Wolf, Jobling, Wimer-Mackin, Ferguson-Maltzman, Madara, Holmes, and Lencer.
Le-Niculescu, H. *See* Lin, Le-Niculescu, Hofmeister, McCaffery, Jin, Hennemann, McQuistan, De Vries, and Farquhar.
Lepple-Wienhues, A., Szabò, I., Laun, T., Kaba, N.K., Gulbins, E., and Lang, F. The tyrosine kinase $p56^{lck}$ mediates activation of swelling-induced chloride channels in lymphocytes. 281.
Lesuffleur, T. *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
Leung, B. *See* Costa, Raich, Agbunag, Leung, Hardin, and Priess.
Leung, K.K.H., Ng, L.J., Ho, K.K.Y., Tam, P.P.L., and Cheah, K.S.E. Different *cis*-regulatory DNA elements mediate developmental stage- and tissue-specific expression of the human *COL2A1* gene in transgenic mice. 1291.

Levin, S. *See* Tuvia, Levin, Bitler, and Korenstein.
Li, K., Xu, E.Y., Cecil, J.K., Turner, F.R., Megraw, T.L., and Kaufman, T.C. *Drosophila* centrosomin protein is required for male meiosis and assembly of the flagellar axoneme. 455.
Lim, J. *See* Kim, Lim, Ota, Raja, Rogers, Rivnay, Avraham, and Avraham.
Lim, K.C. *See* Wessely, Deiner, Lim, Mellitzer, Steinlein, and Beug.
Lin, K.-I, DiDonato, J.A., Hoffmann, A., Hardwick, J.M., and Ratan, R.R. Suppression of steady-state, but not stimulus-induced NF-κB activity inhibits alphavirus-induced apoptosis. 1479.
Lin, P., Le-Niculescu, H., Hofmeister, R., McCaffery, J.M., Jin, M., Hennemann, H., McQuistan, T., De Vries, L., and Farquhar, M.G. The mammalian calcium-binding protein, nucleobindin (CALNUC), is a Golgi resident protein. 1515.
Liu, Y. *See* Tan, Sagara, Liu, Maher, and Schubert.
Loidl, J. *See* Jin, Trelles-Sticken, Scherthan, and Loidl.
Low, S.H., Chapin, S.J., Wimmer, C., Whiteheart, S.W., Kömüves, L.G., Mostov, K.E., and Weimbs, T. The SNARE machinery is involved in apical plasma membrane trafficking in MDCK cells. 1503.
Lu, B.D. *See* Sartorius, Lu, Acakpo-Satchivi, Jacobsen, Byrnes, and Leinwand.
Lupashin, V.V. *See* VanRheenen, Cao, Lupashin, Barlowe, and Waters.

M

Machado, C., Sunkel, C.E., and Andrew, D.J. Human autoantibodies reveal titin as a chromosomal protein. 321.
Maciag, T. *See* LaVallee, Prudovsky, McMahon, Hu, and Maciag.
Madara, J.L. *See* Wolf, Jobling, Wimer-Mackin, Ferguson-Maltzman, Madara, Holmes, and Lencer.
Maddox, P.S. *See* Desai, Maddox, Mitchison, and Salmon.
Maekawa, M. *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.
Magnuson, T. *See* Chakravarti, Magnuson, Lass, Jepsen, LaMantia, and Carroll.
Maher, P. *See* Tan, Sagara, Liu, Maher, and Schubert.
Maki, M. *See* Potter, Tirnauer, Janssen, Croall, Hughes, Fiacco, Mier, Maki, and Herman.
Mandelkow, E. *See* Hoenger, Sack, Thormählen, Marx, Müller, Gross, and Mandelkow.
Mann, M. *See* Wigge, Jensen, Holmes, Souès, Mann, and Kilmartin.
Marazuela, M. *See* Yáñez-Mó, Alfranca, Cabañas, Marazuela, Tejedor, Ursa, Ashman, de Landázuri, and Sánchez-Madrid.
Margolis, R.L. *See* Andreassen, Lacroix, Villa-Moruzzi, and Margolis.
Mariani, M. *See* Guttinger, Sutti, Panigada, Porcellini, Merati, Mariani, Teesalu, Consalez, and Grassi.
Marshall, W.F. *See* Fung, Marshall, Dernburg, Agard, and Sedat.
Martin, D.A. *See* Siegel, Martin, Zheng, Ng, Bertin, Cohen, and Lenardo.
Martin, G.V. *See* Ihrke, Martin, Shanks, Schrader, Schroer, and Hubbard.
Martin, O.C., Gunawardane, R.N., Iwamatsu, A., and Zheng, Y. Xgrip109: A γ tubulin–associated protein with an essential role in γ tubulin ring complex (γTuRC) assembly and centrosome function. 675.
Martin-Bermudo, M.D., Dunin-Borkowski, O.M., and Brown, N.H. Modulation of integrin activity is vital for morphogenesis. 1073.
Marx, A. *See* Hoenger, Sack, Thormählen, Marx, Müller, Gross, and Mandelkow.
Masciulli, F. *See* Meier, Masciulli, Moore, Schoumacher, Eppenberger, Denzer, Jones, and Brenner.
Matsumura, F. *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.
Matsuura, Y. *See* Fukata, Kimura, Oshiro, Saya, Matsuura, and Kaibuchi.
Mattei, M.-G. *See* Nobes, Lauritzen, Mattei, Paris, Hall, and Chardin.
Matter, M.L., Zhang, Z., Nordstedt, C., and Ruoslahti, E. The α5β1 integrin mediates elimination of amyloid-β peptide and protects against apoptosis. 1019.
Matthews, L.R., Carter, P., Thierry-Mieg, D., and Kemphues, K. ZYG-9, a *Caenorhabditis elegans* protein required for microtubule organization and function, is a component of meiotic and mitotic spindle poles. 1159.
Maxwell, S. *See* Futter, Gibson, Allchin, Maxwell, Ruddock, Odorizzi, Domingo, Trowbridge, and Hopkins.
May, T., and Soll, J. Positive charges determine the topology and functionality of the transmembrane domain in the chloroplastic outer envelope protein Toc34. 895.
Mayor, T. *See* Fry, Mayor, Meraldi, Stierhof, Tanaka, and Nigg.
Mbalaviele, G., Nishimura, R., Myoi, A., Niewolna, M., Reddy, S.V., Chen, D., Feng, J., Roodman, D., Mundy, G.R., and Yoneda, T. Cadherin-6 mediates the heterotypic interactions between the hemopoietic osteoclast cell lineage and stromal cells in a murine model of osteoclast differentiation. 1467.
McCaffery, J.M. *See* Lin, Le-Niculescu, Hofmeister, McCaffery, Jin, Hennemann, McQuistan, De Vries, and Farquhar.
McCartney, B.M. *See* LaJeunesse, McCartney, and Fehon.
McCutcheon, K. *See* Hackam, Singaraja, Wellington, Metzler, McCutcheon, Zhang, Kalchman, and Hayden.
McIntosh, D.P. *See* Oh, McIntosh, and Schnitzer.
McKeown-Longo, P.J. *See* Hocking, Sottile, and McKeown-Longo.
McMahon, G.A. *See* LaVallee, Prudovsky, McMahon, Hu, and Maciag.
McNiven, M.A. *See* Henley, Krueger, Oswald, and McNiven.
McQuistan, T. *See* Lin, Le-Niculescu, Hofmeister, McCaffery, Jin, Hennemann, McQuistan, De Vries, and Farquhar.
Meda, P. *See* Chanson, Fanjul, Bosco, Nelles, Suter, Willecke, and Meda.
Medici, N. *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
Megraw, T.L. *See* Li, Xu, Cecil, Turner, Megraw, and Kaufman.
Meier, T., Masciulli, F., Moore, C., Schoumacher, F., Eppenberger, U., Denzer, A.J., Jones, G., and Brenner, H.R. Agrin can mediate acetylcholine receptor gene expression in muscle by aggregation of muscle-derived neuregulins. 715.
Mellitzer, G. *See* Wessely, Deiner, Lim, Mellitzer, Steinlein, and Beug.
Meraldi, P. *See* Fry, Mayor, Meraldi, Stierhof, Tanaka, and Nigg.
Merati, B. *See* Guttinger, Sutti, Panigada, Porcellini, Merati, Mariani, Teesalu, Consalez, and Grassi.
Mertz, J.R. *See* Du, Stoops, Mertz, Stanley, and Dixon.
Metzler, M. *See* Hackam, Singaraja, Wellington, Metzler, McCutcheon, Zhang, Kalchman, and Hayden.
Mier, J.W. *See* Potter, Tirnauer, Janssen, Croall, Hughes, Fiacco, Mier, Maki, and Herman.
Mignatti, P. *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.
Mikoshiba, K. *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.
Milligan, R.A. *See* Jontes, Ostap, Pollard, and Milligan.
Min, H.Y. *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
Mineo, C., Ying, Y.-S., Chapline, C., Jaken, S., and Anderson, R.G.W. Targeting of protein kinase Cα to caveolae. 601.
Mirabito, P.M. *See* Wu, Osmani, and Mirabito.
Mitchison, T.J. *See* Desai, Maddox, Mitchison, and Salmon.
Miyawaki, A. *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.
Mohandas, N. *See* Walensky, Gascard, Fields, Blackshaw, Conboy, Mohandas, and Snyder.
Molinari, A.M. *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
Møller, L.B. *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
Moncharmont, B. *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
Moolenaar, W.H. *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.
Moore, C. *See* Meier, Masciulli, Moore, Schoumacher, Eppenberger, Denzer, Jones, and Brenner.
Moreau, A. *See* Dujardin, Wacker, Moreau, Schroer, Rickard, and De Mey.
Morgan, D.O. *See* Jin, Hardy, and Morgan.
Mosher, D.F. *See* Sakai, Zhang, Fässler, and Mosher.
Mostov, K.E. *See* Low, Chapin, Wimmer, Whiteheart, Kömüves, Mostov, and Weimbs.
Moudjou, M. *See* Tassin, Celati, Moudjou, and Bornens.
Mourton, T. *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.
Müller, J. *See* Hoenger, Sack, Thormählen, Marx, Müller, Gross, and Mandelkow.
Mundy, G.R. *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.
Murphy, K. *See* Campbell, Bowman, Murphy, Youngman, Siani, Thompson, Wu, Zlotnik, and Butcher.
Murphy, S.M., Urbani, L., and Stearns, T. The mammalian γ-tubulin complex contains homologues of the yeast spindle pole body components Spc97p and Spc98p. 663.

Murray, A.W. *See* Gorbsky, Chen, and Murray.
— *See* Waters, Chen, Murray, and Salmon.
Muslimov, I.A., Banker, G., Brosius, J., and Tiedge, H. Activity-dependent regulation of dendritic BC1 RNA in hippocampal neurons in culture. 1601.
Myoi, A. *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.

N

Nagasaki, T. *See* Cook, Nagasaki, and Gundersen.
Naora, Hi. *See* Naora, Takai, Adachi, and Naora.
Naora, Ho., Takai, I., Adachi, M., and Naora, Hi. Altered cellular responses by varying expression of a ribosomal protein gene: Sequential coordination of enhancement and suppression of ribosomal protein S3a gene expression induces apoptosis. 741.
Narumiya, S. *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.
Nelles, E. *See* Chanson, Fanjul, Bosco, Nelles, Suter, Willecke, and Meda.
Ng, L.J. *See* Leung, Ng, Ho, Tam, and Cheah.
Ng, S.Y. *See* Siegel, Martin, Zheng, Ng, Bertin, Cohen, and Lenardo.
Nicosia, R.F. *See* Scatena, Almeida, Chaisson, Fausto, Nicosia, and Giachelli.
Nielsen, O. *See* Petersen, Nielsen, Egel, and Hagan.
Niessen, C.M. *See* Yap, Niessen, and Gumbiner.
Niewolna, M. *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.
Nigg, E.A. *See* Fry, Mayor, Meraldi, Stierhof, Tanaka, and Nigg.
Nigro, V. *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
Nishimura, R. *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.
Nixon, J.P. *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.
Nobes, C.D., Lauritzen, I., Mattei, M.-G., Paris, S., Hall, A., and Chardin, P. A new member of the Rho family, Rnd1, promotes disassembly of actin filament structures and loss of cell adhesion. 187.
Noda, T. *See* Saitou, Fujimoto, Doi, Itoh, Fujimoto, Furuse, Takano, Noda, and Tsukita.
— *See* Yonekawa, Harada, Okada, Funakoshi, Kanai, Takei, Terada, Noda, and Hirokawa.
Nonaka, S. *See* Harada, Takei, Kanai, Tanaka, Nonaka, and Hirokawa.
Nordstedt, C. *See* Matter, Zhang, Nordstedt, and Ruoslahti.
Nuoffer, C. *See* Aridor, Weissman, Bannykh, Nuoffer, and Balch.
Nykjær, A., Christensen, E.I., Vorum, H., Hager, H., Petersen, C.M., Røigaard, H., Min, H.Y., Vilhardt, F., Møller, L.B., Kornfeld, S., and Gliemann, J. Mannose 6-phosphate/insulin-like growth factor–II receptor targets the urokinase receptor to lysosomes via a novel binding interaction. 815.

O

Odorizzi, G. *See* Futter, Gibson, Allchin, Maxwell, Ruddock, Odorizzi, Domingo, Trowbridge, and Hopkins.
O'Grady, P., Thai, T.C., and Saito, H. The laminin–nidogen complex is a ligand for a specific splice isoform of the transmembrane protein tyrosine phosphatase LAR. 1675.
Oh, P., McIntosh, D.P., and Schnitzer, J.E. Dynamin at the neck of caveolae mediates their budding to form transport vesicles by GTP-driven fission from the plasma membrane of endothelium. 101.
Okada, Y. *See* Yonekawa, Harada, Okada, Funakoshi, Kanai, Takei, Terada, Noda, and Hirokawa.
Oorschot, V. *See* Hay, Klumperman, Oorschot, Steegmaier, Kuo, and Scheller.
Orlandi, P.A., and Fishman, P.H. Filipin-dependent inhibition of cholera toxin: Evidence for toxin internalization and activation through caveolae-like domains. 905.
Ortuño-Sahagún, D. *See* Torroja, Ortuño-Sahagún, Ferrús, Hämmerle, and Barbas.
Oshiro, N. *See* Fukata, Kimura, Oshiro, Saya, Matsuura, and Kaibuchi.
Osmani, S.A. *See* Wu, Osmani, and Mirabito.
Ostap, E.M. *See* Jontes, Ostap, Pollard, and Milligan.
Oswald, B.J. *See* Henley, Krueger, Oswald, and McNiven.
Ota, S. *See* Kim, Lim, Ota, Raja, Rogers, Rivnay, Avraham, and Avraham.

P

Pampori, N. *See* Hato, Pampori, and Shattil.
Panigada, M. *See* Guttinger, Sutti, Panigada, Porcellini, Merati, Mariani, Teesalu, Consalez, and Grassi.
Paris, S. *See* Nobes, Lauritzen, Mattei, Paris, Hall, and Chardin.
Passreiter, M., Anton, M., Lay, D., Frank, R., Harter, C., Wieland, F.T., Gorgas, K., and Just, W.W. Peroxisome biogenesis: Involvement of ARF and coatomer. 373.
Patel, S. *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.
Pazour, G.J., Wilkerson, C.G., and Witman, G.B. A dynein light chain is essential for the retrograde particle movement of intraflagellar transport (IFT). 979.
Pelletier, S.L. *See* Qiao, Pelletier, Hoffman, Hacker, Armstrong, and White.
Peng, H.B. *See* Dai and Peng.
Penn, L.Z. *See* Gonzalez, Kaya, Shi, Song, Testa, Penn, and Filmus.
Pepperkok, R. *See* Shima, Cabrera-Poch, Pepperkok, and Warren.
Peracino, B., Borleis, J., Jin, T., Westphal, M., Schwartz, J.-M., Wu, L., Bracco, E., Gerisch, G., Devreotes, P., and Bozzaro, S. G protein β subunit–null mutants are impaired in phagocytosis and chemotaxis due to inappropriate regulation of the actin cytoskeleton. 1529.
Perez, D., and White, E. E1B 19K inhibits Fas-mediated apoptosis through FADD-dependent sequestration of FLICE. 1255.
Petersen, C.M. *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
Petersen, J., Nielsen, O., Egel, R., and Hagan, I.M. FH3, a domain found in formins, targets the fission yeast formin Fus1 to the projection tip during conjugation. 1217.
Pietz, G.E. *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.
Piluso, G. *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
Pinet, V. *See* Faigle, Raposo, Tenza, Pinet, Vogt, Kropshofer, Fischer, de Saint-Basile, and Amigorena.
Pintucci, G. *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.
Pollard, T.D. *See* Jontes, Ostap, Pollard, and Milligan.
Pon, L.A. *See* Anderson, Boldogh, Evangelista, Boone, Greene, and Pon.
— *See* Boldogh, Vojtov, Karmon, and Pon.
Porcellini, S. *See* Guttinger, Sutti, Panigada, Porcellini, Merati, Mariani, Teesalu, Consalez, and Grassi.
Potter, D.A., Tirnauer, J.S., Janssen, R., Croall, D.E., Hughes, C.N., Fiacco, K.A., Mier, J.W., Maki, M., and Herman, I.M. Calpain regulates actin remodeling during cell spreading. 647. Correction. 1289.
Priess, J.R. *See* Costa, Raich, Agbunag, Leung, Hardin, and Priess.
Prudovsky, I.A. *See* LaVallee, Prudovsky, McMahon, Hu, and Maciag.
Puca, G.A. *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
Pucéat, M., Roche, S., and Vassort, G. Src family tyrosine kinase regulates intracellular pH in cardiomyocytes. 1637.
Purslow, P.P. *See* Wess, Purslow, Sherratt, Ashworth, Shuttleworth, and Kielty.
Pyrowolakis, G. *See* Hauser, Bardroff, Pyrowolakis, and Jentsch.

Q

Qi, H. *See* Karsten, Qi, Beckers, Reddy, Dubremetz, Webster, and Joiner.
Qiao, H., Pelletier, S.L., Hoffman, L., Hacker, J., Armstrong, R.T., and White, J.M. Specific single or double proline substitutions in the "spring-loaded" coiled-coil region of the influenza hemagglutinin impair or abolish membrane fusion activity. 1335.

R

Raich, W. *See* Costa, Raich, Agbunag, Leung, Hardin, and Priess.

Raja, S. *See* Kim, Lim, Ota, Raja, Rogers, Rivnay, Avraham, and Avraham.
Rangell, L.K. *See* Sakai, Koller, Rangell, Keller, and Subramani.
Rapoport, T.A. *See* Kalies, Rapoport, and Hartmann.
Raposo, G. *See* Faigle, Raposo, Tenza, Pinet, Vogt, Kropshofer, Fischer, de Saint-Basile, and Amigorena.
Ratan, R.R. *See* Lin, DiDonato, Hoffmann, Hardwick, and Ratan.
Real, F.X. *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
Reddy, A. *See* Karsten, Qi, Beckers, Reddy, Dubremetz, Webster, and Joiner.
Reddy, S.V. *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.
Reipert, S. *See* Rezniczek, de Pereda, Reipert, and Wiche.
Ren, C.J. *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.
Rezniczek, G.A., de Pereda, J.M., Reipert, S., and Wiche, G. Linking integrin $\alpha_6\beta_4$-based cell adhesion to the intermediate filament cytoskeleton: Direct interaction between the β_4 subunit and plectin at multiple molecular sites. 209.
Ribbeck, K. *See* Ferrari, Ribbeck, Hagler, and Spitzer.
Rickard, J.E. *See* Dujardin, Wacker, Moreau, Schroer, Rickard, and De Mey.
Ridley, A.J. *See* Allen, Zicha, Ridley, and Jones.
Riezman, H. *See* Hicke, Zanolari, and Riezman.
Rifkin, D.B. *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.
Rimm, D.L. *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.
Rivnay, B. *See* Kim, Lim, Ota, Raja, Rogers, Rivnay, Avraham, and Avraham.
Robbins, E.S. *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.
Roche, S. *See* Pucéat, Roche, and Vassort.
Rogers, R. *See* Kim, Lim, Ota, Raja, Rogers, Rivnay, Avraham, and Avraham.
Rohovsky, S.A. *See* Hirschi, Rohovsky, and D'Amore.
Røigaard, H. *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
Roodman, D. *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.
Roscigno, A. *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
Rose, M.D. *See* Brizzio, Gammie, and Rose.
Rosenbaum, J.L. *See* Cole, Diener, Himelblau, Beech, Fuster, and Rosenbaum.
Rossi, V. *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
Roy, L.M., and Barkan, A. A SecY homologue is required for the elaboration of the chloroplast thylakoid membrane and for normal chloroplast gene expression. 385.
Roy, S., and VijayRaghavan, K. Patterning muscles using organizers: Larval muscle templates and adult myoblasts actively interact to pattern the dorsal longitudinal flight muscles of *Drosophila.* 1135.
Rubinfeld, B. *See* Wong, Rubinfeld, and Gordon.
Ruddock, L.J. *See* Futter, Gibson, Allchin, Maxwell, Ruddock, Odorizzi, Domingo, Trowbridge, and Hopkins.
Rüdiger, A.-H. *See* Weiss, Kroemker, Rüdiger, Jockusch, and Rüdiger.
Rüdiger, M. *See* Weiss, Kroemker, Rüdiger, Jockusch, and Rüdiger.
Ruoslahti, E. *See* Matter, Zhang, Nordstedt, and Ruoslahti.

S

Sack, S. *See* Hoenger, Sack, Thormählen, Marx, Müller, Gross, and Mandelkow.
Sadot, E. *See* Simcha, Shtutman, Salomon, Zhurinsky, Sadot, Geiger, and Ben-Ze'ev.
Saffery, R. *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
Sagara, Y. *See* Tan, Sagara, Liu, Maher, and Schubert.
Saito, H. *See* O'Grady, Thai, and Saito.
Saitou, M., Fujimoto, K., Doi, Y., Itoh, M., Fujimoto, T., Furuse, M., Takano, H., Noda, T., and Tsukita, Sh. Occludin-deficient embryonic stem cells can differentiate into polarized epithelial cells bearing tight junctions. 397.
Sakai, T., Zhang, Q., Fässler, R., and Mosher, D.F. Modulation of β1A integrin functions by tyrosine residues in the β1 cytoplasmic domain. 527.
Sakai, Y., Koller, A., Rangell, L.K., Keller, G.A., and Subramani, S. Peroxisome degradation by microautophagy in *Pichia pastoris*: Identification of specific steps and morphological intermediates. 625.
Salmon, E.D. *See* Desai, Maddox, Mitchison, and Salmon.
— *See* Waters, Chen, Murray, and Salmon.
Salomon, D. *See* Simcha, Shtutman, Salomon, Zhurinsky, Sadot, Geiger, and Ben-Ze'ev.
Sánchez-Madrid, F. *See* Yáñez-Mó, Alfranca, Cabañas, Marazuela, Tejedor, Ursa, Ashman, de Landázuri, and Sánchez-Madrid.
Sartorius, C.A., Lu, B.D., Acakpo-Satchivi, L., Jacobsen, R.P., Byrnes, W.C., and Leinwand, L.A. Myosin heavy chains IIa and IId are functionally distinct in the mouse. 943.
Savelyeva, L. *See* Claas, Seiter, Claas, Savelyeva, Schwab, and Zöller.
Saya, H. *See* Fukata, Kimura, Oshiro, Saya, Matsuura, and Kaibuchi.
Scatena, M., Almeida, M., Chaisson, M.L., Fausto, N., Nicosia, R.F., and Giachelli, C.M. NF-κB mediates αvβ3 integrin-induced endothelial cell survival. 1083.
Scheiffele, P. *See* Harder, Scheiffele, Verkade, and Simons.
Scheller, R.H. *See* Hay, Klumperman, Oorschot, Steegmaier, Kuo, and Scheller.
Scherthan, H. *See* Jin, Trelles-Sticken, Scherthan, and Loidl.
Schnitzer, J.E. *See* Oh, McIntosh, and Schnitzer.
Schoumacher, F. *See* Meier, Masciulli, Moore, Schoumacher, Eppenberger, Denzer, Jones, and Brenner.
Schrader, M. *See* Ihrke, Martin, Shanks, Schrader, Schroer, and Hubbard.
Schroer, T.A. *See* Dujardin, Wacker, Moreau, Schroer, Rickard, and De Mey.
— *See* Ihrke, Martin, Shanks, Schrader, Schroer, and Hubbard.
Schubert, D. *See* Tan, Sagara, Liu, Maher, and Schubert.
Schwab, M. *See* Claas, Seiter, Claas, Savelyeva, Schwab, and Zöller.
Schwartz, J.-M. *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.
Sedat, J.W. *See* Fung, Marshall, Dernburg, Agard, and Sedat.
Segawa, A. *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.
Seghezzi, G., Patel, S., Ren, C.J., Gualandris, A., Pintucci, G., Robbins, E.S., Shapiro, R.L., Galloway, A.C., Rifkin, D.B., and Mignatti, P. Fibroblast growth factor-2 (FGF-2) induces vascular endothelial growth factor (VEGF) expression in the endothelial cells of forming capillaries: An autocrine mechanism contributing to angiogenesis. 1659.
Seiter, S. *See* Claas, Seiter, Claas, Savelyeva, Schwab, and Zöller.
Shah, S., Tugendreich, S., and Forbes, D. Major binding sites for the nuclear import receptor are the internal nucleoporin Nup153 and the adjacent nuclear filament protein Tpr. 31.
Shanks, M.R. *See* Ihrke, Martin, Shanks, Schrader, Schroer, and Hubbard.
Shapiro, R.L. *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.
Shattil, S.J. *See* Hato, Pampori, and Shattil.
Shaub, A. *See* Zhong, Chrzanowska-Wodnicka, Brown, Shaub, Belkin, and Burridge.
Sherratt, M.J. *See* Wess, Purslow, Sherratt, Ashworth, Shuttleworth, and Kielty.
Shi, W. *See* Gonzalez, Kaya, Shi, Song, Testa, Penn, and Filmus.
Shima, D.T., Cabrera-Poch, N., Pepperkok, R., and Warren, G. An ordered inheritance strategy for the Golgi apparatus: Visualization of mitotic disassembly reveals a role for the mitotic spindle. 955. Correction. 1477.
Shtutman, M. *See* Simcha, Shtutman, Salomon, Zhurinsky, Sadot, Geiger, and Ben-Ze'ev.
Shuttleworth, C.A. *See* Wess, Purslow, Sherratt, Ashworth, Shuttleworth, and Kielty.
Siani, M.A. *See* Campbell, Bowman, Murphy, Youngman, Siani, Thompson, Wu, Zlotnik, and Butcher.
Siegel, R.M., Martin, D.A., Zheng, L., Ng, S.Y., Bertin, J., Cohen, J., and Lenardo, M.J. Death-effector filaments: Novel cytoplasmic structures that recruit caspases and trigger apoptosis. 1243.
Simcha, I., Shtutman, M., Salomon, D., Zhurinsky, J., Sadot, E., Geiger, B., and Ben-Ze'ev, A. Differential nuclear translocation and transactivation potential of β-catenin and plakoglobin. 1433.
Simons, K. *See* Harder, Scheiffele, Verkade, and Simons.
Singaraja, R. *See* Hackam, Singaraja, Wellington, Metzler, McCutcheon, Zhang, Kalchman, and Hayden.

Skovronsky, D.M., Doms, R.W., and Lee, V.M.-Y. Detection of a novel intraneuronal pool of insoluble amyloid β protein that accumulates with time in culture. 1031.
Smith, E.A., and Fuchs, E. Defining the interactions between intermediate filaments and desmosomes. 1229.
Snyder, S.H. *See* Walensky, Gascard, Fields, Blackshaw, Conboy, Mohandas, and Snyder.
Soll, J. *See* May and Soll.
Sommarin, Y. *See* Wendel, Sommarin, and Heinegård.
Song, H. *See* Gonzalez, Kaya, Shi, Song, Testa, Penn, and Filmus.
Sottile, J. *See* Hocking, Sottile, and McKeown-Longo.
Souès, S. *See* Wigge, Jensen, Holmes, Souès, Mann, and Kilmartin.
Sparks, C.A. *See* Dictenberg, Zimmerman, Sparks, Young, Vidair, Zheng, Carrington, Fay, and Doxsey.
Spitzer, N.C. *See* Ferrari, Ribbeck, Hagler, and Spitzer.
Stack, M.S. *See* Goldfinger, Stack, and Jones.
Stanley, C.M. *See* Du, Stoops, Mertz, Stanley, and Dixon.
Stearns, T. *See* Murphy, Urbani, and Stearns.
Steegmaier, M. *See* Hay, Klumperman, Oorschot, Steegmaier, Kuo, and Scheller.
Stein, P.L. *See* Calautti, Cabodi, Stein, Hatzfeld, Kedersha, and Dotto.
Steiner, D.F. *See* Bass, Chiu, Argon, and Steiner.
Steinlein, P. *See* Wessely, Deiner, Lim, Mellitzer, Steinlein, and Beug.
Stevenson, B.R. *See* Haskins, Gu, Wittchen, Hibbard, and Stevenson.
Stierhof, Y.-D. *See* Fry, Mayor, Meraldi, Stierhof, Tanaka, and Nigg.
Stoops, J.D. *See* Du, Stoops, Mertz, Stanley, and Dixon.
Strutt, H. *See* Buchenau, Hodgson, Strutt, and Arndt-Jovin.
Subramani, S. *See* Sakai, Koller, Rangell, Keller, and Subramani.
Sugiyama, T. *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.
Sullivan, W. *See* de Saint Phalle and Sullivan.
Sunkel, C.E. *See* Machado, Sunkel, and Andrew.
Suter, D.M., Errante, L.D., Belotserkovsky, V., and Forscher, P. The Ig superfamily cell adhesion molecule, apCAM, mediates growth cone steering by substrate–cytoskeletal coupling. 227.
Suter, S. *See* Chanson, Fanjul, Bosco, Nelles, Suter, Willecke, and Meda.
Sutti, F. *See* Guttinger, Sutti, Panigada, Porcellini, Merati, Mariani, Teesalu, Consalez, and Grassi.
Szabò, I. *See* Lepple-Wienhues, Szabò, Laun, Kaba, Gulbins, and Lang.

T

Takai, I. *See* Naora, Takai, Adachi, and Naora.
Takano, H. *See* Saitou, Fujimoto, Doi, Itoh, Fujimoto, Furuse, Takano, Noda, and Tsukita.
Takei, Y. *See* Harada, Takei, Kanai, Tanaka, Nonaka, and Hirokawa.
— *See* Yonekawa, Harada, Okada, Funakoshi, Kanai, Takei, Terada, Noda, and Hirokawa.
Tam, P.P.L. *See* Leung, Ng, Ho, Tam, and Cheah.
Tan, S., Sagara, Y., Liu, Y., Maher, P., and Schubert, D. The regulation of reactive oxygen species production during programmed cell death. 1423.
Tanaka, K. *See* Fry, Mayor, Meraldi, Stierhof, Tanaka, and Nigg.
Tanaka, Y. *See* Harada, Takei, Kanai, Tanaka, Nonaka, and Hirokawa.
Tassin, A.-M., Celati, C., Moudjou, M., and Bornens, M. Characterization of the human homologue of the yeast Spc98p and its association with γ-tubulin. 689.
Teesalu, T. *See* Guttinger, Sutti, Panigada, Porcellini, Merati, Mariani, Teesalu, Consalez, and Grassi.
Tejedor, R. *See* Yáñez-Mó, Alfranca, Cabañas, Marazuela, Tejedor, Ursa, Ashman, de Landázuri, and Sánchez-Madrid.
Tenza, D. *See* Faigle, Raposo, Tenza, Pinet, Vogt, Kropshofer, Fischer, de Saint-Basile, and Amigorena.
Terada, S. *See* Yonekawa, Harada, Okada, Funakoshi, Kanai, Takei, Terada, Noda, and Hirokawa.
Testa, J.R. *See* Gonzalez, Kaya, Shi, Song, Testa, Penn, and Filmus.
Thai, T.C. *See* O'Grady, Thai, and Saito.
Thierry-Mieg, D. *See* Matthews, Carter, Thierry-Mieg, and Kemphues.
Thompson, D.A. *See* Campbell, Bowman, Murphy, Youngman, Siani, Thompson, Wu, Zlotnik, and Butcher.
Thormählen, M. *See* Hoenger, Sack, Thormählen, Marx, Müller, Gross, and Mandelkow.
Tiedge, H. *See* Muslimov, Banker, Brosius, and Tiedge.
Ting-Beall, H.P. *See* Gerald, Dai, Ting-Beall, and De Lozanne.
Tirnauer, J.S. *See* Potter, Tirnauer, Janssen, Croall, Hughes, Fiacco, Mier, Maki, and Herman.
Tonks, N.K. *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.
Torroja, L., Ortuño-Sahagún, D., Ferrús, A., Hämmerle, B., and Barbas, J.A. *scully*, an essential gene of *Drosophila*, is homologous to mammalian mitochondrial type II L-3-hydroxyacyl-CoA dehydrogenase/amyloid-β peptide-binding protein. 1009.
Trelles-Sticken, E. *See* Jin, Trelles-Sticken, Scherthan, and Loidl.
Trowbridge, I.S. *See* Futter, Gibson, Allchin, Maxwell, Ruddock, Odorizzi, Domingo, Trowbridge, and Hopkins.
Trowell, H. *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
Truong, T. *See* Huttenlocher, Lakonishok, Kinder, Wu, Truong, Knudsen, and Horwitz.
Tsukita, S. *See* Furuse, Fujita, Hiiragi, Fujimoto, and Tsukita.
Tsukita, Sh. *See* Saitou, Fujimoto, Doi, Itoh, Fujimoto, Furuse, Takano, Noda, and Tsukita.
Tu, P.-H. *See* Elder, Friedrich, Bosco, Kang, Gourov, Tu, Lee, and Lazzarini.
Tugendreich, S. *See* Shah, Tugendreich, and Forbes.
Turner, F.R. *See* Li, Xu, Cecil, Turner, Megraw, and Kaufman.
Tuvia, S., Levin, S., Bitler, A., and Korenstein, R. Mechanical fluctuations of the membrane–skeleton are dependent on F-actin ATPase in human erythrocytes. 1551.

U

Uehata, M. *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.
Ulloa, F. *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
Urbani, L. *See* Murphy, Urbani, and Stearns.
Ursa, M.A. *See* Yáñez-Mó, Alfranca, Cabañas, Marazuela, Tejedor, Ursa, Ashman, de Landázuri, and Sánchez-Madrid.

V

VanRheenen, S.M., Cao, X., Lupashin, V.V., Barlowe, C., and Waters, M.G. Sec35p, a novel peripheral membrane protein, is required for ER to Golgi vesicle docking. 1107.
Vassort, G. *See* Pucéat, Roche, and Vassort.
Verkade, P. *See* Harder, Scheiffele, Verkade, and Simons.
Vidair, C. *See* Dictenberg, Zimmerman, Sparks, Young, Vidair, Zheng, Carrington, Fay, and Doxsey.
VijayRaghavan, K. *See* Roy and VijayRaghavan.
Vilhardt, F. *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
Villa-Moruzzi, E. *See* Andreassen, Lacroix, Villa-Moruzzi, and Margolis.
Vogt, A.B. *See* Faigle, Raposo, Tenza, Pinet, Vogt, Kropshofer, Fischer, de Saint-Basile, and Amigorena.
Vojtov, N. *See* Boldogh, Vojtov, Karmon, and Pon.
Vorum, H. *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.

W

Wacker, U.I. *See* Dujardin, Wacker, Moreau, Schroer, Rickard, and De Mey.
Walensky, L.D., Gascard, P., Fields, M.E., Blackshaw, S., Conboy, J.G., Mohandas, N., and Snyder, S.H. The 13-kD FK506 binding protein, FKBP13, interacts with a novel homologue of the erythrocyte membrane cytoskeletal protein 4.1. 143.
Warren, G. *See* Shima, Cabrera-Poch, Pepperkok, and Warren.
Watanabe, N. *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.
Waters, J.C., Chen, R.-H., Murray, A.W., and Salmon, E.D. Localization of Mad2 to kinetochores depends on microtubule attachment, not tension. 1181.
Waters, M.G. *See* VanRheenen, Cao, Lupashin, Barlowe, and Waters.

Webster, P. *See* Karsten, Qi, Beckers, Reddy, Dubremetz, Webster, and Joiner.
Weimbs, T. *See* Low, Chapin, Wimmer, Whiteheart, Kömüves, Mostov, and Weimbs.
Weinstein, D.E. *See* Gondré, Burrola, and Weinstein.
Weinstein, J. *See* Kallio, Weinstein, Daum, Burke, and Gorbsky.
Weiss, E.E., Kroemker, M., Rüdiger, A.-H., Jockusch, B.M., and Rüdiger, M. Vinculin is part of the cadherin–catenin junctional complex: Complex formation between α-catenin and vinculin. 755.
Weissman, J. *See* Aridor, Weissman, Bannykh, Nuoffer, and Balch.
Wellington, C.L. *See* Hackam, Singaraja, Wellington, Metzler, McCutcheon, Zhang, Kalchman, and Hayden.
Wendel, M., Sommarin, Y., and Heinegård, D. Bone matrix proteins: Isolation and characterization of a novel cell-binding keratan sulfate proteoglycan (osteoadherin) from bovine bone. 839.
Wendland, B., and Emr, S.D. Pan1p, yeast eps15, functions as a multivalent adaptor that coordinates protein–protein interactions essential for endocytosis. 71.
Wess, T.J., Purslow, P.P., Sherratt, M.J., Ashworth, J., Shuttleworth, C.A., and Kielty, C.M. Calcium determines the supramolecular organization of fibrillin-rich microfibrils. 829.
Wessely, O., Deiner, E.-M., Lim, K.C., Mellitzer, G., Steinlein, P., and Beug, H. Mammalian granulocyte–macrophage colony-stimulating factor receptor expressed in primary avian hematopoietic progenitors: Lineage-specific regulation of proliferation and differentiation. 1041.
Westphal, M. *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.
White, E. *See* Perez and White.
White, J.M. *See* Qiao, Pelletier, Hoffman, Hacker, Armstrong, and White.
Whiteheart, S.W. *See* Low, Chapin, Wimmer, Whiteheart, Kömüves, Mostov, and Weimbs.
Wiche, G. *See* Rezniczek, de Pereda, Reipert, and Wiche.
Wieland, F.T. *See* Passreiter, Anton, Lay, Frank, Harter, Wieland, Gorgas, and Just.
Wigge, P.A., Jensen, O.N., Holmes, S., Souès, S., Mann, M., and Kilmartin, J.V. Analysis of the *Saccharomyces* spindle pole by matrix-assisted laser desorption/ionization (MALDI) mass spectrometry. 967.
Wilkerson, C.G. *See* Pazour, Wilkerson, and Witman.
Willecke, K. *See* Chanson, Fanjul, Bosco, Nelles, Suter, Willecke, and Meda.
Wimer-Mackin, S. *See* Wolf, Jobling, Wimer-Mackin, Ferguson-Maltzman, Madara, Holmes, and Lencer.
Wimmer, C. *See* Low, Chapin, Wimmer, Whiteheart, Kömüves, Mostov, and Weimbs.
Witman, G.B. *See* Pazour, Wilkerson, and Witman.
Wittchen, E.S. *See* Haskins, Gu, Wittchen, Hibbard, and Stevenson.
Wolf, A.A., Jobling, M.G., Wimer-Mackin, S., Ferguson-Maltzman, M., Madara, J.L., Holmes, R.K., and Lencer, W.I. Ganglioside structure dictates signal transduction by cholera toxin and association with caveolae-like membrane domains in polarized epithelia. 917.
Wong, M.H., Rubinfeld, B., and Gordon, J.I. Effects of forced expression of an NH_2-terminal truncated β-catenin on mouse intestinal epithelial homeostasis. 765.
Wreford, N.G. *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
Wu, L., Osmani, S.A., and Mirabito, P.M. A role for NIMA in the nuclear localization of cyclin B in *Aspergillus nidulans*. 1575.
— *See* Campbell, Bowman, Murphy, Youngman, Siani, Thompson, Wu, Zlotnik, and Butcher.
— *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.
Wu, S. *See* Huttenlocher, Lakonishok, Kinder, Wu, Truong, Knudsen, and Horwitz.

X

Xu, E.Y. *See* Li, Xu, Cecil, Turner, Megraw, and Kaufman.

Y

Yamamoto-Hino, M., Miyawaki, A., Segawa, A., Adachi, E., Yamashina, S., Fujimoto, T., Sugiyama, T., Furuichi, T., Hasegawa, M., and Mikoshiba, K. Apical vesicles bearing inositol 1,4,5-trisphosphate receptors in the Ca^{2+} initiation site of ductal epithelium of submandibular gland. 135.
Yamashina, S. *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.
Yáñez-Mó, M., Alfranca, A., Cabañas, C., Marazuela, M., Tejedor, R., Ursa, M.A., Ashman, L.K., de Landázuri, M.O., and Sánchez-Madrid, F. Regulation of endothelial cell motility by complexes of tetraspan molecules CD81/TAPA-1 and CD151/PETA-3 with α3β1 integrin localized at endothelial lateral junctions. 791.
Yap, A.S., Niessen, C.M., and Gumbiner, B.M. The juxtamembrane region of the cadherin cytoplasmic tail supports lateral clustering, adhesive strengthening, and interaction with $p120^{ctn}$. 779.
Yin, H. *See* Chen, Yin, and Huffaker.
Ying, Y.-S. *See* Mineo, Ying, Chapline, Jaken, and Anderson.
Yoneda, T. *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.
Yonekawa, Y., Harada, A., Okada, Y., Funakoshi, T., Kanai, Y., Takei, Y., Terada, S., Noda, T., and Hirokawa, N. Defect in synaptic vesicle precursor transport and neuronal cell death in KIF1A motor protein–deficient mice. 431.
Young, A. *See* Dictenberg, Zimmerman, Sparks, Young, Vidair, Zheng, Carrington, Fay, and Doxsey.
Youngman, K.R. *See* Campbell, Bowman, Murphy, Youngman, Siani, Thompson, Wu, Zlotnik, and Butcher.

Z

Zanolari, B. *See* Hicke, Zanolari, and Riezman.
Zhang, Q. *See* Sakai, Zhang, Fässler, and Mosher.
Zhang, T. *See* Hackam, Singaraja, Wellington, Metzler, McCutcheon, Zhang, Kalchman, and Hayden.
Zhang, Z. *See* Matter, Zhang, Nordstedt, and Ruoslahti.
Zheng, L. *See* Siegel, Martin, Zheng, Ng, Bertin, Cohen, and Lenardo.
Zheng, Y. *See* Dictenberg, Zimmerman, Sparks, Young, Vidair, Zheng, Carrington, Fay, and Doxsey.
— *See* Martin, Gunawardane, Iwamatsu, and Zheng.
Zhong, C., Chrzanowska-Wodnicka, M., Brown, J., Shaub, A., Belkin, A.M., and Burridge, K. Rho-mediated contractility exposes a cryptic site in fibronectin and induces fibronectin matrix assembly. 539.
Zhurinsky, J. *See* Simcha, Shtutman, Salomon, Zhurinsky, Sadot, Geiger, and Ben-Ze'ev.
Zicha, D. *See* Allen, Zicha, Ridley, and Jones.
Zimmerman, W. *See* Dictenberg, Zimmerman, Sparks, Young, Vidair, Zheng, Carrington, Fay, and Doxsey.
Zinn, K. *See* Gindhart, Desai, Beushausen, Zinn, and Goldstein.
Zlotnik, A. *See* Campbell, Bowman, Murphy, Youngman, Siani, Thompson, Wu, Zlotnik, and Butcher.
Zöller, M. *See* Claas, Seiter, Claas, Savelyeva, Schwab, and Zöller.
Zweibaum, A. *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.

SUBJECT INDEX VOLUME 141

Acanthamoeba castellani, myosin-IB isolated from, 155
Acetylcholine receptor
  agrin–neuregulin interaction mediates expression of, 715
  tyrosine phosphatase cluster dispersal/formation of, 1613
Acinar cells, coupling of inversely related to amylase secretion, recruitment of, 1267
Actin, organization dependent on Myo5p, 1357
Actin cytoskeleton
  interaction with Fus1, 1217
  interaction with mitochondria in budding yeast, 1371
  novel proteins control rearrangement of, 187
  regulation during phagocytosis, 1529
Actin filaments, decorated with inactive myosin-IB, 155
Actin remodeling, during cell spreading, regulated by calpain, 647
Actin-cytoskeleton organization, Pan1p and, 71
γ-Adaptin, endosomal clathrin-coated buds contain, 611
Adaptor protein-1, mannose 6–phosphate colocalizes with, 359
Adenomatous polyposis coli, unaffected by β-cadherin mutant (ΔN89β-catenin), 765
ADP-ribosylation factor, involvement in peroxisome biogenesis, 373
Affinity modulation, complements receptor clustering in $\alpha_{IIb}\beta_3$, 1685
Agrin, interaction with neuregulin mediates acetylcholine receptor expression, 715
Alphavirus, apoptosis induced by, 1479
Alzheimer's disease, pathogenesis of amyloid β deposition in, 1031
Amylase, enhanced secretion in connexin32-deficient mice, secretion of inversely related to acinar cell coupling, 1267
Amyloid β protein (insoluble), accumulation in neurons, 1031
Amyloid-beta peptide, α5β1 integrin mediates elimination of, 1019
Anaphase
  in absence of centrosomes, 1383
  kinetochore microtubule attachment and, 1181
  p55CDC involved in regulating onset of, 1393
  premature induction of, 1193
Anaphase A, poleward microtubule flux predominates during (in *Xenopus* extracts), kinetochore mechanism predominates during (in vertebrate cells), two distinct mechanisms of, 703
Anaphase chromosome movement, in *Xenopus* extracts vs. vertebrate somatic cells, 703
Angiogenesis, fibroblast growth factor-2 and vascular endothelial growth factor in, autocrine mechanism contributing to, 1659
Anion channels (swelling-induced), $p56^{lck}$ and activation of, 281
apCAM, regulates growth cone motility, cross-linking promotes neuronal growth/reorientation, association with retrograde F-actin flow, nucleation of F-actin assembly, 227
Apical glycoproteins, intracellular transport blocked by GalNAc-α-*O*-benzyl, 1311
Apical plasma membrane, vesicle fusion with, 1503
Apical plasma membrane proteins, basolateral–apical transcytosis in WIF-B hepatocytes, 115
Apical transport, SNARE machinery involved in, 1503
Apical vesicles, in Ca^{2+} initiation site, 135
Apolipoprotein B-100, two regions exposed to cytosol, transmembrane orientation in ER membrane, 585
Apoptosis
  Fas-mediated, inhibited by E1B 19K, multimerization of FADD as novel mechanism for, 1255
  induced by glypican-3, 1407
  α5β1 integrin protects against, 1019
  reactive oxygen species production during, 1423
  regulated by NF-κB activity, 1479
  ribosomal protein S3a and, 741
  triggered by death-effector filaments, 1243
Apoptotic stress, mutant huntingtin results in increased susceptibility to, 1097
Aspergillus nidulans, nuclear localization of cyclin B in, 1575
Axonal transport
  KIF1A-mediated, 431
  kinesin light chains essential for, 443
Axons, size regulated by mid-sized neurofilament subunit, 727
Basolateral vesicles, arise from clathrin-γ-adaptin–coated domains, 611
BC1 RNA, activity-dependent regulation of, 1601
Blood vessels, cell–cell interactions during development of, 805
Bone matrix protein, novel cell-binding osteoadherin, 839
Brain cells, α5β1 integrin regulates survival of, 1019
BRUCE (BIR repeat–containing ubiquitin-conjugating enzyme), association with Golgi compartment, association with vesicular system, features baculovirus inhibitor of apoptosis repeat motif, 1415
Brush border membrane glycoproteins, α2-3 sialylation involved in apical targeting of, 1311
Brush border myosin-I, vs. structure of myosin-IB, 155
Ca^{2+}, intracellular, regulates actin cytoskeleton during phagocytosis, 1529
Ca^{2+} initiation site, apical vesicles in, 135
Ca^{2+} signaling, spatiotemporal pattern of, and IP_3 receptor distribution, 135
Cadherin
  inhibits transcriptional activity of β-catenin, 1433
  juxtamembrane region of cytoplasmic tail, $p120^{ctn}$ involved in clustering of, 779
Cadherin-6, in osteoclast precursors, in osteoblast/stromal cells, role in osteoclastogenesis, 1467
Cadherin receptors, synergy between integrin receptors and, 515
Cadherin–catenin complex
  association between PTPμ and, 287
  vinculin as part of, 755
Cadherins, PTPμ associates with, reversible tyrosine phosphorylation and regulation of, 287
Caenorhabditis elegans
  catenin–cadherin system in, 297
  ciliary assembly in sensory neurons of, 993
  ZYG-9 as component of spindle poles of, 1159
Calcium, organizes fibrillin-rich microfibrils, 829
Calcium homeostasis, CALNUC plays key role in, 1515
Calcium signaling cascade, essential for myosin thick filament assembly, 1349
Calnexin, facilitates insulin receptor folding, 637
CALNUC, as Golgi resident protein, role in calcium homeostasis, 1515
Calpain, regulates cell spreading, and actin remodeling, 647
Calpastatin, inhibits cell spreading, 647
Calreticulin, facilitates insulin receptor folding, 637
Cardiomyocytes, regulation of intracellular pH in, 1637
Caspase, E1B 19K inhibits adaptor-dependent activation of, 1255
Caspases, recruited by death-effector filaments, 1243
Castanospermine, and insulin receptor misfolding, 637
α-Catenin
  complex formation between vinculin and, ligand-binding activity of, 755
  inhibits transcriptional activity of β-catenin, 1433
β-Catenin
  effects on intestinal epithelium, forced expression of mutant version of (ΔN89β-catenin), 765
  nuclear translocation/transactivation activity of, complexes with lymphoid-enhancing factor and vinculin, cadherin and α-catenin inhibit transcriptional activity of, 1433
Catenin–cadherin system, mediates *Caenorhabditis elegans* morphogenesis, and cytoskeletal organization, 297
Caveolae
  cholera toxin association with, 917
  dynamin and fission/internalization of, 101
  dynamin-mediated internalization of, 85
  targeting of protein kinase Cα to, 601
  as vehicle for cholera toxin entry/activation, 905
Caveolae-like membrane domains
  cholera toxin association with, 917
  as vehicle for cholera toxin entry/activation, 905
Caveolin, colocalization between dynamin and, 85
CCR7 (6CK/SLC and MIP-3β receptor), chemokine 6CK/SLC signals through, and physiological recirculation/homing of lymphocytes, 1053
Cdc2, and mitotic entry/exit in cells, 875
Cdc12, FH3 domain of, 1217
Cdc47, role in chemotaxis-induced macrophage migration, 1147
CDK2, p21 as critical regulator of, 503
Cell adhesion
  and amino-terminal type I repeats of fibronectin and, 241
  novel proteins control changes in, 187
  $p120^{ctn}$ involved in, 779
Cell crawling, traction step of, myosin and, 1
Cell cycle, regulation of centriole–centriole cohesion during, 1563
Cell development, distribution of polycomb-group proteins during, 469

Cell division
distribution of polycomb-group proteins during, 469
p55CDC regulates progression of, 1393
Cell fusion, in *Saccharomyces cerevisiae*, Rvs161p has direct role in, 567
Cell membrane fluctuations, effect of intracellular MgATP on, association with F-actin ATPase activity, 1551
Cell migration, activation of Src pathway and, 1647
Cell morphology, and LAR–laminin-nidogen binding, 1675
Cell proliferation
activation of MAP kinase pathway and, 1647
and cytoplasmic dynein heavy chain, 51
Merlin required for regulation of, 1589
Cell signaling, and LAR–laminin-nidogen binding, 1675
Cell spreading, regulated by calpain, inhibited by calpastatin and MDL, 647
Cell–cell adhesion (keratinocyte), controlled by tyrosine phosphorylation and Src family kinases, 1449
CENP-B gene, null mutation in, and centromere assembly/function, and meiosis, and mitosis, 309
Central spindle, ZYG-9 as transient component of, 1159
Centriole–centriole cohesion, Nek2 and C-Nap1 in the regulation of, 1563
Centromere protein B, role in centromere function, model for functional redundancy of, 309
Centromeres
clustering in yeast, 21
role of CENP-B in assembly/function of, 309
Centrosomes
C-Nap1 as core component of, 1563
pericentrin and γ-tubulin assemble into lattice at, 163
role of Xgrip109 in function of, γ tubulin recruited to, 675
Spc98p concentrated in, 689
spindle assembly and mitosis in absence of, 1383
Centrosomin, function in spermatogenesis, 455
Chediak-Higashi syndrome, endosomal and sorting mechanisms in, 1121
Chemotaxis
G protein beta subunit–null mutants impaired in, 1529
macrophage migration induced by, 1147
Chlamydomonas
kinesin II–dependent intraflagellar transport in, 993
light chain 8 and intraflagellar transport in, 979
Chloride channels (swelling-induced), $p56^{lck}$ and activation of, 281
Chloroplasts, elaboration of thylakoid membrane, normal gene expression, membrane biogenesis linked to gene expression, 385
Cholera toxin
filipin-dependent inhibition of, internalization/activation of, 905
sorted by ganglioside GM1, 917
Chromatin loops, SATB1 binds to base of, 335
Chromosome alignment, during metaphase, role of CLIP-170 in, 849
Chromosome movement, occurs at similar rate as poleward microtubule flux, 703
Chromosomes
homologous pairing of, 5
as primary organizer of bipolar spindle in absence of centrosomes, 1383
titin as component of, 321
Cilia, assembly in sensory neurons, 993
cis-Golgi cisternae, CALNUC concentrated in, CALNUC and calcium homeostasis, 1515
cis-Golgi network, CALNUC concentrated in, CALNUC and calcium homeostasis in, 1515
6CK/SLC (chemokine), as agonist for MIP-3β receptor CCR7, and physiological recirculation/homing of lymphocytes, 1053
Clathrin, endosomal buds coated with, 611
Claudin-1 and -2, novel integral membrane protein, peptide sequence similarity to occludin, localization at tight junctions, 1539
CLIP-170, role in metaphase chromosome alignment, and dynein/dynactin complex, 849
C-Nap1 (novel centrosomal coiled-coil protein), molecular characterization of, as candidate substrate of Nek2, as core component of centrosome, and regulation of centriole–centriole adhesion, 1563
CO-029, rat homologue of, 267
Coagulation, and D6.1A (a tetraspanin molecule), 267
Coatomer, involvement in peroxisome biogenesis, 373
COL2A1 gene, regulation of expression, 1291
Collagen fibril assembly, regulated by lumican, 1277
Colony-stimulating factor-1, macrophage migration induced by, 1147
Connexin32 protein, deficiency alters function of exocrine pancreas, 1267
Consumption coagulopathy, metastasis-associated tetraspanin molecule and, 267
Contractile apparatus, ryanodine receptor and myosin light chain kinase in construction of, 1349
Contractility, exposes cryptic site in fibronectin, induces fibronectin matrix assembly, 539
COPII (coat protein II), role in selective transport from the endoplasmic reticulum, 61
Cornea, lumican necessary for transparency of, 1277
Cortical cytoskeleton, racE essential for organization of, 483
Cotranslational translocation, facilitated by Sec61β, 887
CRM1, mediates nuclear import of nuclear factor of activated T cells, 863
Cyclin B, nuclear localization of, 1575
Cyclin B1, nuclear import controls mitosis, 875
Cyclosome/anaphase-promoting complex, association with Mad2, 1393
Cytokeratin filaments, interaction between plectin and, 209
Cytokinesis
partitioning during, 955
role for racE in, 483
Cytoplasmic dynein heavy chain, and formation/positioning of Golgi complex, and cell proliferation, and lysosome distribution, and endosome distribution, 51
Cytoskeleton, catenin–cadherin system and organization of, 297
Cytosol, two regions of apolipoprotein exposed to, 585
D6.1A, and coagulation, and metastasis, expressed on mesenchyme-derived cells, homology to CO-029, 267
Death-effector filaments, recruit caspases, trigger apoptosis, 1243
Dense granules, *Toxoplasma gondii* targets proteins to, 1323
Desmoplakin, anchors to desmosomal cadherins and to plakoglobin, 1229
Desmosomes, interactions between intermediate filaments and, 1229
Dictyostelium, racE and cortical tension in, 483
DISC, integral protein sequestered from, 1255
Dorsal longitudinal muscle, transformation of residual larval muscles during, 1135
Drosophila
distribution of polycomb-group proteins in, 469
flight muscle patterning in, 1135
L-3-hydroxyacyl-CoA dehydrogenase/ERAB in, 1009
isolation/characterization of *moesin* and *Merlin* in, 1589
kinesin light chain function in, 443
Drosophila melanogaster
centrosomin in, 455
homologous chromosome pairing in, 5
Dynamin
mediates caveolar fission/internalization, 101
mediates clathrin-dependent endocytosis, mediates caveolae internalization, colocalization between caveolin and, 85
Dynein light chain 8, required for intraflagellar transport, 979
Dynein/dynactin complex, CLIP-170 and, 849
E1B 19K, inhibits Fas-mediated apoptosis, disrupts FADD multimerization, sequesters integral protein from DISC, 1255
Ehlers-Danlos syndrome, and lumican-null mutation,1277
Embryo
epithelial V-like antigen expression in epithelia of, 1061
regulation of integrin function in, 1073
Endocytosis
clathrin-dependent, mediated by dynamin, 85
Pan1p and, regulatory complex for, 71
phosphorylation-dependent, and downregulation of G protein–coupled receptor activity, 349
Endolyn-78, passes through subapical compartment in WIF-B hepatocytes, 115
Endoplasmic reticulum, cargo selection during export from, 61
Endoplasmic reticulum membrane, transmembrane orientation of apolipoprotein B-100 in, 585
Endoplasmic reticulum/Golgi SNAREs, localization, dynamics, and interactions among, 1489
Endoplasmic reticulum–Golgi vesicle docking, Sec35p required for, 1107
Endosomal resident proteins, sorting into late multivesicular endosomes, 1121
Endosome tubules, clathrin-coated domains on, 611
Endosomes, cytoplasmic dynein heavy chain and distribution of, 51
Endothelial cell junctions, tetraspan molecules at, 791
Endothelial cells
integrin-mediated survival of, 1083

modulation of vascular endothelial growth factor expression in, 1659
and recruitment of 10T1/2 cells, 805
Epithelial cells, occludin-deficient, 397
Epithelial V-like antigen, expression in embryonic epithelia, as homotypic adhesion molecule in thymus histogenesis, selective regulation by T cell maturation, 1061
Erect wing protein, in remnant larval nuclei during muscle differentiation, 1135
Erythrocytes
cell membrane fluctuations in, 1551
FKBP13 in, 143
Estrogen receptor, interaction with vault particles in MCF-7 breast cancer cells, 1301
Ezrin-radixin-moesin protein, cellular function of, 1589
F-actin, cell membrane fluctuations and ATPase activity of, 1551
α-Factor receptor, cytoplasmic tail phosphoryiation of, ubiquitination and internalization of, 349
FADD, multimerization as novel mechanism for apoptosis induction, multimerization disrupted by E1B 19K, recruitment of FLICE by, 1255
FGF-1, cell migration and proliferation induced by, 1647
FH3 domains, proteins at multiple sites interact with, targets Fus1 to projection tip during conjugation, fusion with green fluorescent protein, target formins to their sites of action, 1217
Fibroblast growth factor-2, modulates endothelial cell expression of vascular endothelial growth factor, 1659
Fibronectin
cryptic site in, induction of matrix assembly, 539
and $\alpha_5\beta_1$ signaling pathway activation, and cell growth/differentiation/adhesion/motility, 241
Filipin, and cholera toxin inhibition, 905
FKBP13, interacts with novel homologue of protein 4.1, outside the endoplasmic reticulum, physiologic binding target of, as component of membrane cytoskeletal scaffolds, 143
Flagellar axoneme, centrosomin required for assembly of, 455
FLICE, recruitment by FADD, and apoptosis, 1255
Flight muscles, patterning of, 1135
Formins, novel homology region of (FH3), targeted to sites of action, 1217
Fus1, FH3 domain of, interaction with actin cytoskeleton, 1217
Fus2p, Rvs161p interacts with, 567
Fyn, activates anion exchanger in cardiomyocytes, 1637
G1 cell cycle phase, Rb and p21 as critical regulators of, 503
G protein, in phagocytosis, 1529
G protein–coupled receptor, downregulation of activity of, 349
Ganglioside GM1, sorting of cholera toxin by, 917
Gene regulation (T cell–specific), chromatin loop domain structure involved in, 335
Germline formation, role of *scully* in, 1009
Glutathione, and reactive oxygen species production, 1423
Glycoprotein traffic, blocked by GalNAc-α-*O*-benzyl, 1311
Glypican-3, induces apoptosis in cell line–specific manner, 1407
Golgi
nucleobindin (CALNUC) as resident protein of, 1515
ordered inheritance strategy for, 955
Golgi compartment, BRUCE associated with, 1415
Golgi complex, cytoplasmic dynein heavy chain and formation/positioning of, 51
Granulocyte–macrophage colony-stimulating factor receptor, in avian hematopoiesis, regulates progenitor proliferation/differentiation, cell type–specific functions of, alpha chain of, 1041
Green fluorescent protein, FH3 domains of Fus1 and Cdc12 fused to, 1217
Growth cone, motility regulation, 227
Hematopoiesis, granulocyte–macrophage colony-stimulating factor receptor in, 1041
Hemidesmosomes
laminin-5 processing and assembly of, 255
stabilized by plectin, 209
Heparan sulfate proteoglycan, aggregated on muscle fiber surface, 715
HepG2 cells, transmembrane orientation of apolipoprotein B-100 in ER membrane of, 585
hmp-1, and morphogenesis, 297
hmp-2, and morphogenesis, 297
hmr-1, and morphogenesis, 297
Homodimerization, impairs insulin receptor folding, 637
Homologous chromosome pairing, in *Drosophila melanogaster*, 5
Homologous sites, pairing of, 5
HT-29 cells, intracellular transport of apical glycoproteins in, mucus secretion in, 1311
Huntingtin, protein length and cell death, polyglutamine size and cell death, mutations and susceptibility to apoptotic stress, 1097
Huntington disease, pathogenesis of, 1097
L-3-hydroxyacyl-CoA dehydrogenase/ERAB (vertebrate type II), *scully* homologous to, 1009
Hydroxyapatite, osteoadherin binds to, 839
ICE protease activity, required for increase in reactive oxygen species, 1423
Importin β, major binding sites for, 31
Influenza hemmaglutinin, "spring loaded" conformational change in fusion mechanism of, 1335
Inhibitor of apoptosis proteins, giant ubiquitin-conjugating enzyme related to, structural diversity of, 1415
Insulin receptor monomers, chaperone function in folding/assembly, folding impaired by rapid dimerization, 637
Integrin
β1A, tyrosine residues of, modulation of functions, 527
$\alpha_{IIb}\beta_3$, complementary roles of receptor clustering and affinity modulation in function of, 1685
α3β1, interaction with tetraspan molecules, 791
α5β1, mediates elimination of amyloid-β peptide, protects against apoptosis, as regulator of brain cell survival, 1019
$\alpha_v\beta_3$, mediates osteoadherin cell-binding function, 839
mediates endothelial cell survival, 1083
modulation of activity vital for morphogenesis, α subunit cytoplasmic domain controls adhesion of, 1073
Integrin receptors, synergy between cadherin receptors and, 515
Integrin β_4 subunit, interaction between plectin and, 209
Intermediate filaments, interactions between desmosomes and, 1229
Interphase, subcellular localization of protein phosphatase-1 during, 1207
Intestinal epithelium, effects of β-catenin on, 765
Intraflagellar transport
dynein light chain 8, 979
kinesin II–dependent, and ciliary development in sensory neurons, 993
IP_3 receptors, distribution of, and Ca^{2+} signaling, 135
Keratan sulfate proteoglycan, novel cell-binding (osteoadherin), 839
Keratin intermediate filaments, ordered array of nontransmembrane proteins bind to, plakophilin associates with, 1229
Keratinocyte cell adhesion, controlled by tyrosine phosphorylation and Src family kinases, 1449
KIF1A motor protein, and synaptic vesicle precursor transport, and neuron viability/function, 431
Kinesin, kinesin light chain and function of, 443
Kinesin II, intraflagellar transport dependent on, 993
Kinesin light chains, essential for axonal transport in *Drosophila*, 443
Kinesin–microtubule complex, structure of, 419
Kinesins (monomeric and dimeric), microtubules decorated with (image reconstructions of), 419
Kinetochore function, CLIP-170 involved in, 849
Kinetochores, localization of Mad2 to, taxol reduces tension at, 1181
Laminin-5, processing of, as motility factor, as adhesive factor, 255
Laminin–nidogen complex, binds transmembrane protein tyrosine phosphatase LAR, 1675
LAR (transmembrane protein tyrosine phosphatase), bound to laminin–nidogen complex, 1675
Larval fibers, transformation of, 1135
Late endocytic compartments, microtubule-dependent transport into, 1121
Ligand-binding activity, of α-catenin and vinculin, 755
Light neurofilament, levels regulated by mid-sized neurofilament subunit, 727
Lineage commitment, granulocyte–macrophage colony-stimulating factor receptor and, 1041
Lipid domain structure, of plasma membrane, 929
Lumican, regulates collagen fibril assembly, and development of highly organized collagenous matrix, essential for corneal transparency, null mutation and Ehlers-Danlos syndrome, 1277
Lymphocytes
activation of swelling-induced Cl^- channels in, 281
respond to 6CK/SLC and MIP-3β, physiological recirculation/homing of, 1053
Lymphoid-enhancing factor, β-catenin complexes with, 1433
Lysophosphatidic acid, generates stable microtubules, 175
Lysosomal trafficking coordinator, and microtubule-dependent transport into late endocytic compartments, 1121
Lysosomes
cytoplasmic dynein heavy chain and distribution of, 51
targeting of urokinase receptro to, 815
M phase, function of p55CDC during, 1393

Macrophage migration, chemotaxis-induced, 1147
Mad2
association with cyclosome/anaphase-promoting complex, binding with Cdc27 and Cdc16, 1393
localization to kinetochores, necessary for maintenance of taxol-induced mitotic arrest, 1181
Mad2 protein, essential for timing of anaphase onset, antibody induces premature anaphase, spindle checkpoint as component of, 1193
Madin Darby canine kidney cells, apical plasma membrane trafficking in, 1503
MAGUK protein family, novel member of, 199
Mannose 6-phosphate receptor/insulin-like growth factor–II receptor, binds urokinase receptor to lysosomes, 815
Mannose 6–phosphate receptors, colocalize with adaptor protein-1, removal from immature granules, 359
MAP kinase pathway, cell proliferation correlates with activation of, 1647
Matrix-assisted laser desorption/ionization, identification of components of large cellular organelle by, 967
MCF-7 breast cancer cells, vault particles interact with estrogen receptor in, 1301
MDL, inhibits cell spreading, 647
Meiosis
CENP-B and, 309
reduced centromere clustering during, 21
Meiotic centrosomes, centrosomin as component of, 455
Meiotic spindle, ZYG-9 as component of, 1159
Membrane fusion mechanism (in influenza hemmaglutinin), "spring-loaded" conformational change required for, 1335
Membrane skeleton, mechanical fluctuations of, 1551
Merlin protein, cellular function of, essential functions occur at cytoplasmic face of cell membrane, functions mediated by conserved NH_2-terminal region of, 1589
Metaphase, chromosome alignment during, 849
Metastasis, tetraspanin molecule associated with, 267
MgATP (intracellular), effect on cell membrane fluctuations, 1551
Microautography, of peroxisomes, 625
Microfibrillar arrays, calcium and structural organization of, 829
Microtubule assembly, Spc72p required for, affected by *spc72* mutation, 1169
Microtubule nucleation, molecular mechanism of, 663
Microtubules
decorated with monomeric and dimeric kinesins (image reconstructions of), 419
and endosomal protein sorting into late multivesicular endosomes, 1121
pericentrin–γ-tubulin lattice and nucleation/organization of, 163
rho mediates stability of, lysophosphatidic acid and stabilization of, 175
ZYG-9 required for organization/function of, 1159
Midbrain neuroepithelium, *COL2A1* expression in, 1291
Mid-sized neurofilament subunit, regulates light neurofilament levels, and axonal diameter, and neurofilament content, 727
Migration, integrin/cadherin regulation of, 515
MIP-3β, and physiological recirculation/homing of lymphocytes, 1053
Mitochondria, interaction with actin cytoskeleton in budding yeast, mitochondrial actin-binding protein docks to, 1371
Mitochondrial actin-binding protein, docks to surface of yeast mitochondria, 1371
Mitochondrial electron transport chain, generates reactive oxygen species, 1423
Mitosis
in absence of centrosomes, 1383
CENP-B and, 309
controlled by nuclear import of cyclin B1, and Cdc2 phosphorylation, 875
Golgi membrane organization during, 955
p55CDC and late events of, 1393
subcellular localization of protein phosphatase-1 during, 1207
taxol-induced arrest of, 1181
timing mechanism for, 1193
Mitotic spindle
and Golgi membrane organization during mitosis, 955
ZYG-9 as component of, 1159
Mmm1p, required for mitochondria–actin cytoskeleton link, 1371
Mmm10p, required for mitochondria–actin cytoskeleton link, 1371
Moesin, colocalization with myosin-binding subunit, relationship with Rho targets, regulation of phosphorylation, 409
Morphogenesis
mediated by catenin–cadherin system, and *hmp-1/hmp-2/hmr-1* genes, 297
modulation of integrin activity vital for, 1073
Motile activity, integrin/cadherin regulation of, 515
Mucus, intracellular transport blocked by GalNAc-α-*O*-benzyl, α2-3 sialylation involved in secretion of, 1311
Myoblasts, and patterning of dorsal longitudinal muscle fibers, 1135
Myocardium, tyrosine kinases and cellular function of, 1637
Myocytes, myosin thick filament assembly in, 1349
Myofibrillogenesis, developmental role of ryanodine receptor and myosin light chain kinase in, 1349
Myogenesis, muscle organizers in, 1135
Myo5p, multistep model for targeting of, assembly of patches, actin organization dependent on, 1357
Myosin, role in retrograde flow, role in cell crawling traction, 1
Myosin heavy chain IIa, functionally distinct from myosin heavy chain IId, 943
Myosin heavy chain IId, functionally distinct from myosin heavy chain IIa, 943
Myosin I, function and localization to yeast, verprolin as binding partner for SH3 domain of, 1357
Myosin light chain kinase, developmental role during myofibrillogenesis, 1349
Myosin thick filament, assembly in *Xenopus* myocytes, 1349
Myosin-binding subunit, colocalization with moesin, 409
Myosin-IB (*Acanthamoeba castellani*), three-dimensional structure of, vs. structure of brush border myosin-I, 155
Nek2, C-Nap1 as candidate substrate of, and regulation of centriole–centriole adhesion, 1563
Neural regeneration, genetically controlled acceleration of, 493
Neuregulin, interaction with agrin mediates acetylcholine receptor expression, 715
Neurites, remodeling regulated by Rho-associated protein kinase, 1625
Neuroblastoma N1E-115 cells, neurite remodeling in, 1625
Neurofilament content, regulated by mid-sized neurofilament subunit, 727
Neuromuscular junction, regulation of acetylcholine receptor gene expression at, 715
Neuronal differentiation, NRP/B is involved in, 553
Neurons
accumulation of insoluble amyloid β protein in, 1031
activity-dependent regulation of BC1 RNA in, 1601
apCAM and growth/reorientation of, 227
KIF1A and viability/function of, 431
NF-κB, role in regulating apoptosis, 1479
NIMA, role in nuclear localization of cyclin B, 1575
NRP/B, cloning/expression/characterization of, associates with $p110^{RB}$, is involved in neuronal differentiation, 553
Nuclear export, shuttling factors in, 863
Nuclear factor of activated T cells, nuclear export of, 863
Nuclear factor-κB, and integrin-mediated cell survival, 1083
Nucleation reaction, Spc98p required for, 689
Nucleobindin, as Golgi resident protein, role in calcium homeostasis, 1515
Nup153, as major binding site for importin β, 31
Occludin
epithelial cells deficient in, 397
peptide sequence similarity to claudin-1 and -2, 1539
ZO-3 interacts with, 199
OCI-5/GPC3, induces apoptosis in cell line–specific manner, 1407
Osmotic swelling, and increased activity of immunoprecipitated $p56^{lck}$, 281
Osteoadherin, isolation and characterization of, integrin-dependent cell-binding activity of, binds to hydroxyapatite, 839
Osteoblast/stromal cells, cadherin-6 in, 1467
Osteoclast precursors, cadherin-6 in, 1467
Osteoclastogenesis, role of cadherin-6 in, 1467
β-Oxidation, *Drosophila* enzyme related to, 1009
p21, as critical CDK2 regulator, and regulation of G1, 503
p55CDC, mediates association of Mad2 with cyclosome/anaphase-promoting complex, and anaphase onset, and late mitotic events, 1393
$p56^{lck}$, activates swelling-induced Cl^- channels, 281
$p110^{RB}$, NRP/B associates with, 553
$p120^{ctn}$, involved in cadherin clustering/cell adhesion, 779
p160ROCK (Rho-associated protein kinase), and neurite modeling, 1625
PAG gene products, and microautographic degradation of peroxisomes, 625
Pancreas (exocrine), connexin32 deficiency alters function of, 1267
Pan1p, and endocytosis, and actin-cytoskeleton organization, 71
Pericentrin, forms lattice with γ-tubulin, as component of protein complex in *Xenopus* eggs, 163
Peripheral nerves, function of SCIP during regeneration of, 493

Peroxisome biogenesis, role of Pex11p in, ADP-ribosylation factor involved in, coatomer involved in, 373
Peroxisomes, degradation by microautography, 625
Pex11p, role in peroxisome biogenesis, 373
Phagocytosis, G protein beta subunit–null mutants impaired in, regulation of actin cytoskeleton during, 1529
Phospholipase C, regulates actin cytoskeleton during phagocytosis, 1529
Pichia pastoris, microautography of peroxisomes in, 625
Plakoglobin
  anchors to desmosomal cadherins and to desmoplakin, binds preferentially to desmoglein1, 1229
  nuclear translocation/transactivation of, complexes with lymphoid-enhancing factor and vinculin, 1433
Plakophilin 1, associates with keratins, binds preferenitally to desmocollin 1a, 1229
Plasma membrane
  lipid domain structure, 929
  myosin-binding subunit colocalizes with myosin at, 409
Plasmin, and laminin-5 processing, 255
Platelets, requirements for optimal $\alpha_{IIb}\beta_3$ function in, 1685
Plectin, stabilizes hemidesmosomes, interaction with integrin β_4 subunits and cytokeratin filaments, as cytoskeletal linker protein, 209
Polarized membrane traffic, role of SNAREs in, 1503
Poleward microtubule flux, as predominant mechanism for anaphase A, occurs at similar rate as chromosome movement, 703
Polycomb-group proteins, distribution during cell division/development, 469
Polymeric Ig receptors, internalize to endosome compartment, 611
Protein 4.1, FKBP13 interacts with novel homologue of, 143
Protein kinase Cα, targeting to caveolae, protein component of binding of, 601
Protein phosphatase-1, isoform-specific subcellular localization of, distinct roles for each isoform, 1207
Proteins, targeting in *Toxoplasma gondii*, 1323
PTPμ, association with cadherins, association with cadherin–catenin complexes, 287
Rac, role in chemotaxis-induced macrophage migration, 1147
racE, role in cortical tension and cytokinesis, 483
Raft domains, in plasma membrane of nonpolarized cells, 929
Ran, mediates nuclear import of nuclear factor of activated T cells, 863
Rb, and regulation of G1, 503
Reactive oxygen species, extracellular Ca^{2+} influx regulates production, generated from mitochondrial electron transport chain, high levels require ICE protease activity and early gene expression, 1423
Receptor clustering, complements affinity modulation in $\alpha_{IIb}\beta_3$, 1685
Red blood cells, cell membrane fluctuations in, 1551
Rho
  inhibition blocks fibronectin matrix assembly, 539
  mediates microtubule stability, 175
  role in chemotaxis-induced macrophage migration, 1147
Rho family, novel proteins of, 187
Rho targets, relationship with moesin, 409
Ribosomal protein S3a, involved in apoptosis, 741
Rvs161p, interaction with Fus2p required for cell fusion, 567
Ryanodine receptor, developmental role during myofibrillogenesis, 1349
Saccharomyces, analysis of spindle pole of, 967
Saccharomyces cerevisiae
  cell fusion in, 567
  centromere clustering in, 21
SATB1 (special AT-rich sequence-binding protein 1), binds to base of chromatin loops, 335
Sciara embryos, spindle assembly and mitosis without centrosomes in, 1383
SCIP (suppressed cAMP-inducible POU protein), function during peripheral nerve regeneration, 493
scully, homology to vertebrate type II *l*-3-hydroxyacyl-CoA dehydrogenase/ERAB, mutations of, role in germline formation, 1009
Sdr (serum deprivation response protein), as protein kinase Cα–binding protein, 601
Sec35p, required for endoplasmic reticulum–Golgi vesicle docking, 1107
Sec61 complex, β subunit of, 887
Sec61β, facilitates cotranslational protein transport, interacts with signal peptide during translocation, 887
Secretory granules (immature), mannose 6–phosphate receptors colocalize with adaptor protein-1 on, vesicle budding from, 359
Secretory pathway, apolipoprotein B-100 in, 585
SecY homologue, required for elaboration of chloroplast thylakoid membrane, required for normal chloroplast gene expression, 385
Sensory neurons, ciliary assembly in, 993
SH3 domain (of yeast type I myosin), critical for Myo5p patch polarization, required for Myo5p-dependent actin organization, verprolin as likely binding partner for, 1357
α2-3 Sialylation, and apical targeting of brush border membrane glycoproteins, and mucus secretion, 1311
Signal peptidase, Sec61β interacts with, 887
$\alpha_5\beta_1$ signaling pathways, interaction with separate regions of fibronectin molecule, 241
Simpson-Golabi-Behmel Syndrome, and OCI-5/GPC3–induced apoptosis, 1407
Sindbis virus, apoptosis induced by, 1479
Skeletal muscle, distinct roles of myosin heavy chains IIa and IId in development/function of, 943
Smooth muscle–like cells, 10T1/2 cells differentiate into, 805
SNAREs
  endoplasmic reticulum/Golgi, localization, dynamics, and interactions among, 1489
  involved in apical transport, 1503
spc72 mutation, and spindle pole body morphology defects, effect on microtubule assembly/function, 1169
Spc72p, interacts with Stu2p, requiredfor proper microtubule assembly, essential component of spindle pole body, 1169
Spc97p
  human expressed sequence tag of, 689
  yeast spindle pole body component, mammalian γ-tubulin complex contains homologues of, relation to Spc98p, 663
SPC98 gene, human homologue of, 689
Spc98p
  human expressed sequence tag of, required for nucleation reaction, concentration in centrosome, 689
  yeast spindle pole body component, mammalian γ-tubulin complex contains homologues of, relation to Spc97p, 663
Spermatogenesis, centrosomin function in, 455
Spindle assembly, in absence of centrosomes, 1383
Spindle checkpoint, as component of timing mechanism for mitosis, 1193
Spindle pole, yeast, novel components of, analysis by matrix-assisted laser desorption/ionization, 967
Spindle pole body, yeast, Spc72p associates with preexisting, Stu2p in, Spc72p as essential component of, affected by *spc72* mutation, 1169
Spindle poles, ZYG-9 as component of, 1159
Src family kinases, control keratinocyte cell–cell adhesion, 1449
Src family tyrosine kinase, regulates intracellular pH in cardiomyocytes, 1637
Src pathway, cell migration correlates with activation of, 1647
Ste2p (phosphorylation of), promotes downregulation, regulates ubiquitination and internalization, SINNDAKSS sequence of, 349
Stu2p, in spindle pole body, interacts with Spc72p, 1169
α Subunit cytoplasmic domain, controls integrin adhesion, 1073
Synaptic vesicle precursor, KIF1A motor protein mediates transport of, 431
Syntaxin 6, removal from immature granules, 359
10T1/2 cells, endothelial cell–induced recruitment of, differentiation into smooth muscle–like cells, 805
T cells, selective regulation of epithelial V-like antigen by maturation of, 1061
T cell–specific gene regulation, chromatin loop domain structure involved in, 335
Taxol, reduces tension at kinetochores, induces mitotic arrest, 1181
Telophase, in absence of centrosomes, 1383
Tetraspan molecules
  CD81/TAPA-1 and CD151/PETA-3, at endothelial cell junctions, interaction with α3β1 integrin, role in endothelial cell motility, 791
  metastasis-associated, 267
Thylakoid membrane, SecY homologue and biogenesis of, 385
Thymus, epithelial V-like antigen and organogenesis of, 1061
Tight junctions
  claudin-1 and -2 localize at, molecular architecture of, 1539
  molecular architecture of, other integral membrane protein(s) of, in occludin-deficient epithelial cells, 397
Tissue-type plasminogen activator, and laminin-5 processing, 255
Titin, as chromosomal protein, 321
Toc34 (chloroplastic outer envelope protein), topology of transmembrane protein, functionality of transmembrane protein, 895
Toxoplasma gondii, protein targeting in, 1323
Tpr, as major binding site for importin β, 31
trans-Golgi network–apical transport, uses SNARE machinery elements, 1503
Transferrin receptor, basolateral distribution of, 611

Translocation, Sec61β interacts with signal peptide during, 887
γ-Tubulin
forms lattice with pericentrin, as component of protein complex in *Xenopus* eggs, 163
human homologue of Spc98p associated with, 689
recruitment to centrosome, Xgrip109 interacts with, 675
Xgrip109 interacts with, 675
γ-Tubulin complex (mammalian), composition in mammalian cells, 663
γ Tubulin ring complex, role of Xgrip109 in assembly of, 675
Tumors, *p21* and *Rb* mutations and development of, 503
Tyrosine kinases, regulate intracelluar pH in cardiomyoctes, 1637
Tyrosine phosphatase, activated by synaptic stimulation, role in acetylcholine receptor cluster dispersal/formation, 1613
Tyrosine phosphorylation
controls keratinocyte cell–cell adhesion, 1449
reversible, and regulation of cadherin function, 287
Tyrosine residues, of β1A integrin, 527
Ubiquitin-conjugating enzyme (giant), related to inhibitor of apoptosis proteins, 1415
Urokinase receptor, targeted by mannose 6-phosphate receptor/insulin-like growth factor–II receptor, 815
Uso1p, and endoplasmic reticulum–Golgi vesicle docking, 1107
Vacuolar space, *Toxoplasma gondii*, targets proteins to, 1323
Vascular endothelial growth factor, mediates fibroblast growth factor-2–induced angiogenesis, 1659
Vault particles, interaction with estrogen receptor in MCF-7 breast cancer cells, 1301
Verprolin, as binding partner for SH3 domain of yeast myosin I proteins, 1357
Vesicle budding, from maturing secretory granules, 359
Vesicle docking, Sec35p required for, 1107
Vesicular system, BRUCE associated with, 1415
Vinculin
β-catenin complexes with, 1433
as part of cadherin–catenin junctional complex, complex formation between α-catenin and, ligand-binding activity of, 755
WIF-B hepatocytes (polarized), subapical compartment in, 115
Xenopus, myosin thick filament assembly in, 1349
Xenopus eggs, pericentrin and γ-tubulin as part of protein complex in, 163
Xgrip109, role in γ tubulin ring complex assembly, role in centrosome function, 675
Yeast
centromere clustering in, 21
mitochondria–actin cytoskeleton interaction in, 1371
myosin I function and localization to, 1357
ZO-1, ZO-3 interacts with, 199
ZO-3, interacts with ZO-1 and occludin, localizes to the tight junction, 199
Zona occludens-1, concentration in occludin-deficient epithelial cells, 397
zyg-9
molecular characterization of, 1159
required for microtubule organization/function, as component of meiotic and mitotic spindle poles, as transient component of central spindle, 1159